

Heritage Manufacturing, Inc.

Sizes and Specs

A. Stainless Steel Enclosures

1. Control Cabinets

| | |
|---|-------|
| Wall Mount Single Door | 2-3 |
| Wall Mount Double Door | 4-5 |
| Wall Mount with Sloped Top Single Door | 6-7 |
| Wall Mount with Sloped Top Double Door | 8-9 |
| Floor Mount Single Door | 10-11 |
| Floor Mount Double Door | 12 |
| Floor Mount with Sloped Top Single Door | 13-14 |
| Floor Mount with Sloped Top Double Door | 15 |

2. Electrical Enclosures

| | |
|-----------------------------|-------|
| Single Door | 16-17 |
| Double Door | 18-19 |
| Single Door with Sloped Top | 20-21 |
| Double Door with Sloped Top | 22-23 |

3. Junction Boxes

| | |
|----------------|-------|
| Bolt on Lid | 24-25 |
| Hinge and Hasp | 26 |

B. Painted Steel Enclosures

1. Control Cabinets

| | |
|---|-------|
| Wall Mount Single Door | 27-28 |
| Wall Mount Double Door | 29-30 |
| Wall Mount with Sloped Top Single Door | 31-32 |
| Wall Mount with Sloped Top Double Door | 33-34 |
| Floor Mount Single Door | 35-36 |
| Floor Mount Double Door | 37 |
| Floor Mount with Sloped Top Single Door | 38-39 |
| Floor Mount with Sloped Top Double Door | 40 |

Stainless Steel Control Cabinets

Wall Mount Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E36-30-8SS304-14D1-WM | 36.0 x 30.0 x 8.0 | (914.40 x 762.00 x 203.20) | SS304 | 14ga | 1 |
| E36-32-8SS304-14D1-WM | 36.0 x 32.0 x 8.0 | (914.40 x 812.80 x 203.20) | SS304 | 14ga | 1 |
| E36-36-8SS304-12D1-WM | 36.0 x 36.0 x 8.0 | (914.40 x 914.40 x 203.20) | SS304 | 12ga | 1 |
| E36-40-8SS304-12D1-WM | 36.0 x 40.0 x 8.0 | (914.40 x 1,016.00 x 203.20) | SS304 | 12ga | 1 |
| E48-30-8SS304-12D1-WM | 48.0 x 30.0 x 8.0 | (1,219.20 x 762.00 x 203.20) | SS304 | 12ga | 1 |
| E48-32-8SS304-12D1-WM | 48.0 x 32.0 x 8.0 | (1,219.20 x 812.80 x 203.20) | SS304 | 12ga | 1 |
| E48-36-8SS304-12D1-WM | 48.0 x 36.0 x 8.0 | (1,219.20 x 914.40 x 203.20) | SS304 | 12ga | 1 |
| E48-40-8SS304-12D1-WM | 48.0 x 40.0 x 8.0 | (1,219.20 x 1,016.00 x 203.20) | SS304 | 12ga | 1 |
| E60-30-8SS304-12D1-WM | 60.0 x 30.0 x 8.0 | (1,524.00 x 762.00 x 203.20) | SS304 | 12ga | 1 |
| E60-32-8SS304-12D1-WM | 60.0 x 32.0 x 8.0 | (1,524.00 x 812.80 x 203.20) | SS304 | 12ga | 1 |
| E60-36-8SS304-12D1-WM | 60.0 x 36.0 x 8.0 | (1,524.00 x 914.40 x 203.20) | SS304 | 12ga | 1 |
| E60-40-8SS304-12D1-WM | 60.0 x 40.0 x 8.0 | (1,524.00 x 1,016.00 x 203.20) | SS304 | 12ga | 1 |
| E72-30-8SS304-12D1-WM | 72.0 x 30.0 x 8.0 | (1,828.80 x 762.00 x 203.20) | SS304 | 12ga | 1 |
| E72-32-8SS304-12D1-WM | 72.0 x 32.0 x 8.0 | (1,828.80 x 812.80 x 203.20) | SS304 | 12ga | 1 |
| E72-36-8SS304-12D1-WM | 72.0 x 36.0 x 8.0 | (1,828.80 x 914.40 x 203.20) | SS304 | 12ga | 1 |
| E72-40-8SS304-12D1-WM | 72.0 x 40.0 x 8.0 | (1,828.80 x 1,016.00 x 203.20) | SS304 | 12ga | 1 |
| E36-30-12SS304-14D1-WM | 36.0 x 30.0 x 12.0 | (914.40 x 762.00 x 304.80) | SS304 | 14ga | 1 |
| E36-32-12SS304-14D1-WM | 36.0 x 32.0 x 12.0 | (914.40 x 812.80 x 304.80) | SS304 | 14ga | 1 |
| E36-36-12SS304-12D1-WM | 36.0 x 36.0 x 12.0 | (914.40 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E36-40-12SS304-12D1-WM | 36.0 x 40.0 x 12.0 | (914.40 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E48-30-12SS304-12D1-WM | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E48-32-12SS304-12D1-WM | 48.0 x 32.0 x 12.0 | (1,219.20 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E48-36-12SS304-12D1-WM | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E48-40-12SS304-12D1-WM | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E60-30-12SS304-12D1-WM | 60.0 x 30.0 x 12.0 | (1,524.00 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E60-32-12SS304-12D1-WM | 60.0 x 32.0 x 12.0 | (1,524.00 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E60-36-12SS304-12D1-WM | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E60-40-12SS304-12D1-WM | 60.0 x 40.0 x 12.0 | (1,524.00 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E72-30-12SS304-12D1-WM | 72.0 x 30.0 x 12.0 | (1,828.80 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E72-32-12SS304-12D1-WM | 72.0 x 32.0 x 12.0 | (1,828.80 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E72-36-12SS304-12D1-WM | 72.0 x 36.0 x 12.0 | (1,828.80 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E72-40-12SS304-12D1-WM | 72.0 x 40.0 x 12.0 | (1,828.80 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E36-30-16SS304-12D1-WM | 36.0 x 30.0 x 16.0 | (914.40 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E36-32-16SS304-12D1-WM | 36.0 x 32.0 x 16.0 | (914.40 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E36-36-16SS304-12D1-WM | 36.0 x 36.0 x 16.0 | (914.40 x 914.40 x 406.40) | SS304 | 12ga | 1 |

| | | | | | |
|------------------------|--------------------|--------------------------------|-------|------|---|
| E36-40-16SS304-12D1-WM | 36.0 x 40.0 x 16.0 | (914.40 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E48-30-16SS304-12D1-WM | 48.0 x 30.0 x 16.0 | (1,219.20 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E48-32-16SS304-12D1-WM | 48.0 x 32.0 x 16.0 | (1,219.20 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E48-36-16SS304-12D1-WM | 48.0 x 36.0 x 16.0 | (1,219.20 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E48-40-16SS304-12D1-WM | 48.0 x 40.0 x 16.0 | (1,219.20 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E60-30-16SS304-12D1-WM | 60.0 x 30.0 x 16.0 | (1,524.00 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E60-32-16SS304-12D1-WM | 60.0 x 32.0 x 16.0 | (1,524.00 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E60-36-16SS304-12D1-WM | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E60-40-16SS304-12D1-WM | 60.0 x 40.0 x 16.0 | (1,524.00 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E72-30-16SS304-12D1-WM | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E72-32-16SS304-12D1-WM | 72.0 x 32.0 x 16.0 | (1,828.80 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E72-36-16SS304-12D1-WM | 72.0 x 36.0 x 16.0 | (1,828.80 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E72-40-16SS304-12D1-WM | 72.0 x 40.0 x 16.0 | (1,828.80 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E60-36-16SS304-12D1-WM | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E60-40-16SS304-12D1-WM | 60.0 x 40.0 x 16.0 | (1,524.00 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E72-30-16SS304-12D1-WM | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E72-32-16SS304-12D1-WM | 72.0 x 32.0 x 16.0 | (1,828.80 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E72-36-16SS304-12D1-WM | 72.0 x 36.0 x 16.0 | (1,828.80 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E72-40-16SS304-12D1-WM | 72.0 x 40.0 x 16.0 | (1,828.80 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E36-30-10SS304-12D1-WM | 36.0 x 30.0 x 10.0 | (914.40 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E36-36-10SS304-12D1-WM | 36.0 x 36.0 x 10.0 | (914.40 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E48-30-10SS304-12D1-WM | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E48-36-10SS304-12D1-WM | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E60-30-10SS304-12D1-WM | 60.0 x 30.0 x 10.0 | (1,524.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E48-32-10SS304-12D1-WM | 48.0 x 32.0 x 10.0 | (1,219.20 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E60-36-10SS304-12D1-WM | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E72-30-10SS304-12D1-WM | 72.0 x 30.0 x 10.0 | (1,828.80 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E72-36-10SS304-12D1-WM | 72.0 x 36.0 x 10.0 | (1,828.80 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E72-40-10SS304-12D1-WM | 72.0 x 40.0 x 10.0 | (1,828.80 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |

Stainless Steel Control Cabinets

Wall Mount Double Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E36-48-8SS304-14D2-WM | 36.0 x 48.0 x 8.0 | (914.40 x 1,219.20 x 203.20) | SS304 | 14ga | 2 |
| E36-60-8SS304-14D2-WM | 36.0 x 60.0 x 8.0 | (914.40 x 1,524.00 x 203.20) | SS304 | 14ga | 2 |
| E36-72-8SS304-14D2-WM | 36.0 x 72.0 x 8.0 | (914.40 x 1,828.80 x 203.20) | SS304 | 14ga | 2 |
| E48-48-8SS304-12D2-WM | 48.0 x 48.0 x 8.0 | (1,219.20 x 1,219.20 x 203.20) | SS304 | 12ga | 2 |
| E48-60-8SS304-12D2-WM | 48.0 x 60.0 x 8.0 | (1,219.20 x 1,524.00 x 203.20) | SS304 | 12ga | 2 |
| E48-72-8SS304-12D2-WM | 48.0 x 72.0 x 8.0 | (1,219.20 x 1,828.80 x 203.20) | SS304 | 12ga | 2 |
| E60-48-8SS304-12D2-WM | 60.0 x 48.0 x 8.0 | (1,524.00 x 1,219.20 x 203.20) | SS304 | 12ga | 2 |
| E60-60-8SS304-12D2-WM | 60.0 x 60.0 x 8.0 | (1,524.00 x 1,524.00 x 203.20) | SS304 | 12ga | 2 |
| E60-72-8SS304-12D2-WM | 60.0 x 72.0 x 8.0 | (1,524.00 x 1,828.80 x 203.20) | SS304 | 12ga | 2 |
| E36-48-10SS304-14D2-WM | 36.0 x 48.0 x 10.0 | (914.40 x 1,219.20 x 254.00) | SS304 | 14ga | 2 |
| E36-60-10SS304-14D2-WM | 36.0 x 60.0 x 10.0 | (914.40 x 1,524.00 x 254.00) | SS304 | 14ga | 2 |
| E36-72-10SS304-14D2-WM | 36.0 x 72.0 x 10.0 | (914.40 x 1,828.80 x 254.00) | SS304 | 14ga | 2 |
| E48-48-10SS304-12D2-WM | 48.0 x 48.0 x 10.0 | (1,219.20 x 1,219.20 x 254.00) | SS304 | 12ga | 2 |
| E48-60-10SS304-12D2-WM | 48.0 x 60.0 x 10.0 | (1,219.20 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E48-72-10SS304-12D2-WM | 48.0 x 72.0 x 10.0 | (1,219.20 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E60-48-10SS304-12D2-WM | 60.0 x 48.0 x 10.0 | (1,524.00 x 1,219.20 x 254.00) | SS304 | 12ga | 2 |
| E60-60-10SS304-12D2-WM | 60.0 x 60.0 x 10.0 | (1,524.00 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E60-72-10SS304-12D2-WM | 60.0 x 72.0 x 10.0 | (1,524.00 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E36-48-12SS304-14D2-WM | 36.0 x 48.0 x 12.0 | (914.40 x 1,219.20 x 304.80) | SS304 | 14ga | 2 |
| E36-60-12SS304-14D2-WM | 36.0 x 60.0 x 12.0 | (914.40 x 1,524.00 x 304.80) | SS304 | 14ga | 2 |
| E36-72-12SS304-14D2-WM | 36.0 x 72.0 x 12.0 | (914.40 x 1,828.80 x 304.80) | SS304 | 14ga | 2 |
| E48-48-12SS304-12D2-WM | 48.0 x 48.0 x 12.0 | (1,219.20 x 1,219.20 x 304.80) | SS304 | 12ga | 2 |
| E48-60-12SS304-12D2-WM | 48.0 x 60.0 x 12.0 | (1,219.20 x 1,524.00 x 304.80) | SS304 | 12ga | 2 |
| E48-72-12SS304-12D2-WM | 48.0 x 72.0 x 12.0 | (1,219.20 x 1,828.80 x 304.80) | SS304 | 12ga | 2 |
| E60-48-12SS304-12D2-WM | 60.0 x 48.0 x 12.0 | (1,524.00 x 1,219.20 x 304.80) | SS304 | 12ga | 2 |
| E60-60-12SS304-12D2-WM | 60.0 x 60.0 x 12.0 | (1,524.00 x 1,524.00 x 304.80) | SS304 | 12ga | 2 |
| E60-72-12SS304-12D2-WM | 60.0 x 72.0 x 12.0 | (1,524.00 x 1,828.80 x 304.80) | SS304 | 12ga | 2 |
| E36-48-14SS304-14D2-WM | 36.0 x 48.0 x 14.0 | (914.40 x 1,219.20 x 355.60) | SS304 | 14ga | 2 |
| E36-60-14SS304-14D2-WM | 36.0 x 60.0 x 14.0 | (914.40 x 1,524.00 x 355.60) | SS304 | 14ga | 2 |
| E36-72-14SS304-14D2-WM | 36.0 x 72.0 x 14.0 | (914.40 x 1,828.80 x 355.60) | SS304 | 14ga | 2 |
| E48-48-14SS304-12D2-WM | 48.0 x 48.0 x 14.0 | (1,219.20 x 1,219.20 x 355.60) | SS304 | 12ga | 2 |
| E48-60-14SS304-12D2-WM | 48.0 x 60.0 x 14.0 | (1,219.20 x 1,524.00 x 355.60) | SS304 | 12ga | 2 |
| E48-72-14SS304-12D2-WM | 48.0 x 72.0 x 14.0 | (1,219.20 x 1,828.80 x 355.60) | SS304 | 12ga | 2 |
| E60-48-14SS304-12D2-WM | 60.0 x 48.0 x 14.0 | (1,524.00 x 1,219.20 x 355.60) | SS304 | 12ga | 2 |
| E60-60-14SS304-12D2-WM | 60.0 x 60.0 x 14.0 | (1,524.00 x 1,524.00 x 355.60) | SS304 | 12ga | 2 |

| | | | | | |
|------------------------|--------------------|--------------------------------|-------|------|---|
| E60-72-14SS304-12D2-WM | 60.0 x 72.0 x 14.0 | (1,524.00 x 1,828.80 x 355.60) | SS304 | 12ga | 2 |
| E36-48-16SS304-14D2-WM | 36.0 x 48.0 x 16.0 | (914.40 x 1,219.20 x 406.40) | SS304 | 14ga | 2 |
| E36-60-16SS304-14D2-WM | 36.0 x 60.0 x 16.0 | (914.40 x 1,524.00 x 406.40) | SS304 | 14ga | 2 |
| E36-72-16SS304-14D2-WM | 36.0 x 72.0 x 16.0 | (914.40 x 1,828.80 x 406.40) | SS304 | 14ga | 2 |
| E48-48-16SS304-12D2-WM | 48.0 x 48.0 x 16.0 | (1,219.20 x 1,219.20 x 406.40) | SS304 | 12ga | 2 |
| E48-60-16SS304-12D2-WM | 48.0 x 60.0 x 16.0 | (1,219.20 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E48-72-16SS304-12D2-WM | 48.0 x 72.0 x 16.0 | (1,219.20 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E48-48-20SS304-12D2-WM | 48.0 x 48.0 x 20.0 | (1,219.20 x 1,219.20 x 508.00) | SS304 | 12ga | 2 |
| E48-60-20SS304-12D2-WM | 48.0 x 60.0 x 20.0 | (1,219.20 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E48-72-20SS304-12D2-WM | 48.0 x 72.0 x 20.0 | (1,219.20 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E60-48-20SS304-12D2-WM | 60.0 x 48.0 x 20.0 | (1,524.00 x 1,219.20 x 508.00) | SS304 | 12ga | 2 |
| E60-60-20SS304-12D2-WM | 60.0 x 60.0 x 20.0 | (1,524.00 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E60-72-20SS304-12D2-WM | 60.0 x 72.0 x 20.0 | (1,524.00 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E60-60-24SS304-12D2-WM | 60.0 x 60.0 x 24.0 | (1,524.00 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E60-72-24SS304-12D2-WM | 60.0 x 72.0 x 24.0 | (1,524.00 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |

Stainless Steel Control Cabinets

Wall Mount with Sloped Top Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-30-10SS304-12D1-FM,ST | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E48-32-10SS304-12D1-FM,ST | 48.0 x 32.0 x 10.0 | (1,219.20 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E48-36-10SS304-12D1-FM,ST | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E48-38-10SS304-12D1-FM,ST | 48.0 x 38.0 x 10.0 | (1,219.20 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E48-40-10SS304-12D1-FM,ST | 48.0 x 40.0 x 10.0 | (1,219.20 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E60-30-10SS304-12D1-FM,ST | 60.0 x 30.0 x 10.0 | (1,524.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E60-32-10SS304-12D1-FM,ST | 60.0 x 32.0 x 10.0 | (1,524.00 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E60-36-10SS304-12D1-FM,ST | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E60-38-10SS304-12D1-FM,ST | 60.0 x 38.0 x 10.0 | (1,524.00 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E60-40-10SS304-12D1-FM,ST | 60.0 x 40.0 x 10.0 | (1,524.00 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E72-30-10SS304-12D1-FM,ST | 72.0 x 30.0 x 10.0 | (1,828.80 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E72-32-10SS304-12D1-FM,ST | 72.0 x 32.0 x 10.0 | (1,828.80 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E72-36-10SS304-12D1-FM,ST | 72.0 x 36.0 x 10.0 | (1,828.80 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E72-38-10SS304-12D1-FM,ST | 72.0 x 38.0 x 10.0 | (1,828.80 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E72-40-10SS304-12D1-FM,ST | 72.0 x 40.0 x 10.0 | (1,828.80 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E90-30-10SS304-12D1-FM,ST | 90.0 x 30.0 x 10.0 | (2,286.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E90-32-10SS304-12D1-FM,ST | 90.0 x 32.0 x 10.0 | (2,286.00 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E90-36-10SS304-12D1-FM,ST | 90.0 x 36.0 x 10.0 | (2,286.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E90-38-10SS304-12D1-FM,ST | 90.0 x 38.0 x 10.0 | (2,286.00 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E90-40-10SS304-12D1-FM,ST | 90.0 x 40.0 x 10.0 | (2,286.00 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E48-30-12SS304-12D1-FM,ST | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E48-32-12SS304-12D1-FM,ST | 48.0 x 32.0 x 12.0 | (1,219.20 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E48-36-12SS304-12D1-FM,ST | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E48-38-12SS304-12D1-FM,ST | 48.0 x 38.0 x 12.0 | (1,219.20 x 965.20 x 304.80) | SS304 | 12ga | 1 |
| E48-40-12SS304-12D1-FM,ST | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E60-30-12SS304-12D1-FM,ST | 60.0 x 30.0 x 12.0 | (1,524.00 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E60-32-12SS304-12D1-FM,ST | 60.0 x 32.0 x 12.0 | (1,524.00 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E60-36-12SS304-12D1-FM,ST | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E60-38-12SS304-12D1-FM,ST | 60.0 x 38.0 x 12.0 | (1,524.00 x 965.20 x 304.80) | SS304 | 12ga | 1 |
| E60-40-12SS304-12D1-FM,ST | 60.0 x 40.0 x 12.0 | (1,524.00 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E72-30-12SS304-12D1-FM,ST | 72.0 x 30.0 x 12.0 | (1,828.80 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E72-32-12SS304-12D1-FM,ST | 72.0 x 32.0 x 12.0 | (1,828.80 x 812.80 x 304.80) | SS304 | 12ga | 1 |

Stainless Steel Control Cabinets

Wall Mount with Sloped Top Double Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E36-48-8SS304-14D2-WM,ST | 36.0 x 48.0 x 8.0 | (914.40 x 1,219.20 x 203.20) | SS304 | 14ga | 2 |
| E36-60-8SS304-14D2-WM,ST | 36.0 x 60.0 x 8.0 | (914.40 x 1,524.00 x 203.20) | SS304 | 14ga | 2 |
| E36-72-8SS304-14D2-WM,ST | 36.0 x 72.0 x 8.0 | (914.40 x 1,828.80 x 203.20) | SS304 | 14ga | 2 |
| E48-48-8SS304-12D2-WM,ST | 48.0 x 48.0 x 8.0 | (1,219.20 x 1,219.20 x 203.20) | SS304 | 12ga | 2 |
| E48-60-8SS304-12D2-WM,ST | 48.0 x 60.0 x 8.0 | (1,219.20 x 1,524.00 x 203.20) | SS304 | 12ga | 2 |
| E48-72-8SS304-12D2-WM,ST | 48.0 x 72.0 x 8.0 | (1,219.20 x 1,828.80 x 203.20) | SS304 | 12ga | 2 |
| E60-48-8SS304-12D2-WM,ST | 60.0 x 48.0 x 8.0 | (1,524.00 x 1,219.20 x 203.20) | SS304 | 12ga | 2 |
| E60-60-8SS304-12D2-WM,ST | 60.0 x 60.0 x 8.0 | (1,524.00 x 1,524.00 x 203.20) | SS304 | 12ga | 2 |
| E60-72-8SS304-12D2-WM,ST | 60.0 x 72.0 x 8.0 | (1,524.00 x 1,828.80 x 203.20) | SS304 | 12ga | 2 |
| E36-48-10SS304-14D2-WM,ST | 36.0 x 48.0 x 10.0 | (914.40 x 1,219.20 x 254.00) | SS304 | 14ga | 2 |
| E36-60-10SS304-14D2-WM,ST | 36.0 x 60.0 x 10.0 | (914.40 x 1,524.00 x 254.00) | SS304 | 14ga | 2 |
| E36-72-10SS304-14D2-WM,ST | 36.0 x 72.0 x 10.0 | (914.40 x 1,828.80 x 254.00) | SS304 | 14ga | 2 |
| E48-48-10SS304-12D2-WM,ST | 48.0 x 48.0 x 10.0 | (1,219.20 x 1,219.20 x 254.00) | SS304 | 12ga | 2 |
| E48-60-10SS304-12D2-WM,ST | 48.0 x 60.0 x 10.0 | (1,219.20 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E48-72-10SS304-12D2-WM,ST | 48.0 x 72.0 x 10.0 | (1,219.20 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E60-48-10SS304-12D2-WM,ST | 60.0 x 48.0 x 10.0 | (1,524.00 x 1,219.20 x 254.00) | SS304 | 12ga | 2 |
| E60-60-10SS304-12D2-WM,ST | 60.0 x 60.0 x 10.0 | (1,524.00 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E60-72-10SS304-12D2-WM,ST | 60.0 x 72.0 x 10.0 | (1,524.00 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E36-48-12SS304-14D2-WM,ST | 36.0 x 48.0 x 12.0 | (914.40 x 1,219.20 x 304.80) | SS304 | 14ga | 2 |
| E36-60-12SS304-14D2-WM,ST | 36.0 x 60.0 x 12.0 | (914.40 x 1,524.00 x 304.80) | SS304 | 14ga | 2 |
| E36-72-12SS304-14D2-WM,ST | 36.0 x 72.0 x 12.0 | (914.40 x 1,828.80 x 304.80) | SS304 | 14ga | 2 |
| E48-48-12SS304-12D2-WM,ST | 48.0 x 48.0 x 12.0 | (1,219.20 x 1,219.20 x 304.80) | SS304 | 12ga | 2 |
| E48-60-12SS304-12D2-WM,ST | 48.0 x 60.0 x 12.0 | (1,219.20 x 1,524.00 x 304.80) | SS304 | 12ga | 2 |
| E48-72-12SS304-12D2-WM,ST | 48.0 x 72.0 x 12.0 | (1,219.20 x 1,828.80 x 304.80) | SS304 | 12ga | 2 |
| E60-48-12SS304-12D2-WM,ST | 60.0 x 48.0 x 12.0 | (1,524.00 x 1,219.20 x 304.80) | SS304 | 12ga | 2 |
| E60-60-12SS304-12D2-WM,ST | 60.0 x 60.0 x 12.0 | (1,524.00 x 1,524.00 x 304.80) | SS304 | 12ga | 2 |
| E60-72-12SS304-12D2-WM,ST | 60.0 x 72.0 x 12.0 | (1,524.00 x 1,828.80 x 304.80) | SS304 | 12ga | 2 |
| E36-48-14SS304-14D2-WM,ST | 36.0 x 48.0 x 14.0 | (914.40 x 1,219.20 x 355.60) | SS304 | 14ga | 2 |
| E36-60-14SS304-14D2-WM,ST | 36.0 x 60.0 x 14.0 | (914.40 x 1,524.00 x 355.60) | SS304 | 14ga | 2 |
| E36-72-14SS304-14D2-WM,ST | 36.0 x 72.0 x 14.0 | (914.40 x 1,828.80 x 355.60) | SS304 | 14ga | 2 |
| E48-48-14SS304-12D2-WM,ST | 48.0 x 48.0 x 14.0 | (1,219.20 x 1,219.20 x 355.60) | SS304 | 12ga | 2 |
| E48-60-14SS304-12D2-WM,ST | 48.0 x 60.0 x 14.0 | (1,219.20 x 1,524.00 x 355.60) | SS304 | 12ga | 2 |
| E48-72-14SS304-12D2-WM,ST | 48.0 x 72.0 x 14.0 | (1,219.20 x 1,828.80 x 355.60) | SS304 | 12ga | 2 |
| E60-48-14SS304-12D2-WM,ST | 60.0 x 48.0 x 14.0 | (1,524.00 x 1,219.20 x 355.60) | SS304 | 12ga | 2 |

| | | | | | |
|---------------------------|--------------------|--------------------------------|-------|------|---|
| E60-60-14SS304-12D2-WM,ST | 60.0 x 60.0 x 14.0 | (1,524.00 x 1,524.00 x 355.60) | SS304 | 12ga | 2 |
| E60-72-14SS304-12D2-WM,ST | 60.0 x 72.0 x 14.0 | (1,524.00 x 1,828.80 x 355.60) | SS304 | 12ga | 2 |
| E36-48-16SS304-14D2-WM,ST | 36.0 x 48.0 x 16.0 | (914.40 x 1,219.20 x 406.40) | SS304 | 14ga | 2 |
| E36-60-16SS304-14D2-WM,ST | 36.0 x 60.0 x 16.0 | (914.40 x 1,524.00 x 406.40) | SS304 | 14ga | 2 |
| E36-72-16SS304-14D2-WM,ST | 36.0 x 72.0 x 16.0 | (914.40 x 1,828.80 x 406.40) | SS304 | 14ga | 2 |
| E48-48-16SS304-12D2-WM,ST | 48.0 x 48.0 x 16.0 | (1,219.20 x 1,219.20 x 406.40) | SS304 | 12ga | 2 |
| E48-60-16SS304-12D2-WM,ST | 48.0 x 60.0 x 16.0 | (1,219.20 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E48-72-16SS304-12D2-WM,ST | 48.0 x 72.0 x 16.0 | (1,219.20 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E48-48-20SS304-12D2-WM,ST | 48.0 x 48.0 x 20.0 | (1,219.20 x 1,219.20 x 508.00) | SS304 | 12ga | 2 |
| E48-60-20SS304-12D2-WM,ST | 48.0 x 60.0 x 20.0 | (1,219.20 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E48-72-20SS304-12D2-WM,ST | 48.0 x 72.0 x 20.0 | (1,219.20 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E60-48-20SS304-12D2-WM,ST | 60.0 x 48.0 x 20.0 | (1,524.00 x 1,219.20 x 508.00) | SS304 | 12ga | 2 |
| E60-60-20SS304-12D2-WM,ST | 60.0 x 60.0 x 20.0 | (1,524.00 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E60-72-20SS304-12D2-WM,ST | 60.0 x 72.0 x 20.0 | (1,524.00 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E60-60-24SS304-12D2-WM,ST | 60.0 x 60.0 x 24.0 | (1,524.00 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E60-72-24SS304-12D2-WM,ST | 60.0 x 72.0 x 24.0 | (1,524.00 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |

Stainless Steel Control Cabinets

Floor Mount Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-30-10SS304-12D1-FM | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E48-32-10SS304-12D1-FM | 48.0 x 32.0 x 10.0 | (1,219.20 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E48-36-10SS304-12D1-FM | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E48-38-10SS304-12D1-FM | 48.0 x 38.0 x 10.0 | (1,219.20 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E48-40-10SS304-12D1-FM | 48.0 x 40.0 x 10.0 | (1,219.20 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E60-30-10SS304-12D1-FM | 60.0 x 30.0 x 10.0 | (1,524.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E60-32-10SS304-12D1-FM | 60.0 x 32.0 x 10.0 | (1,524.00 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E60-36-10SS304-12D1-FM | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E60-38-10SS304-12D1-FM | 60.0 x 38.0 x 10.0 | (1,524.00 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E60-40-10SS304-12D1-FM | 60.0 x 40.0 x 10.0 | (1,524.00 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E72-30-10SS304-12D1-FM | 72.0 x 30.0 x 10.0 | (1,828.80 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E72-32-10SS304-12D1-FM | 72.0 x 32.0 x 10.0 | (1,828.80 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E72-36-10SS304-12D1-FM | 72.0 x 36.0 x 10.0 | (1,828.80 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E72-38-10SS304-12D1-FM | 72.0 x 38.0 x 10.0 | (1,828.80 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E72-40-10SS304-12D1-FM | 72.0 x 40.0 x 10.0 | (1,828.80 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E90-30-10SS304-12D1-FM | 90.0 x 30.0 x 10.0 | (2,286.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E90-32-10SS304-12D1-FM | 90.0 x 32.0 x 10.0 | (2,286.00 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E90-36-10SS304-12D1-FM | 90.0 x 36.0 x 10.0 | (2,286.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E90-38-10SS304-12D1-FM | 90.0 x 38.0 x 10.0 | (2,286.00 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E90-40-10SS304-12D1-FM | 90.0 x 40.0 x 10.0 | (2,286.00 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E48-30-12SS304-12D1-FM | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E48-32-12SS304-12D1-FM | 48.0 x 32.0 x 12.0 | (1,219.20 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E48-36-12SS304-12D1-FM | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E48-38-12SS304-12D1-FM | 48.0 x 38.0 x 12.0 | (1,219.20 x 965.20 x 304.80) | SS304 | 12ga | 1 |
| E48-40-12SS304-12D1-FM | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E60-30-12SS304-12D1-FM | 60.0 x 30.0 x 12.0 | (1,524.00 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E60-32-12SS304-12D1-FM | 60.0 x 32.0 x 12.0 | (1,524.00 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E60-36-12SS304-12D1-FM | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E60-38-12SS304-12D1-FM | 60.0 x 38.0 x 12.0 | (1,524.00 x 965.20 x 304.80) | SS304 | 12ga | 1 |
| E60-40-12SS304-12D1-FM | 60.0 x 40.0 x 12.0 | (1,524.00 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E72-30-12SS304-12D1-FM | 72.0 x 30.0 x 12.0 | (1,828.80 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E72-32-12SS304-12D1-FM | 72.0 x 32.0 x 12.0 | (1,828.80 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E72-36-12SS304-12D1-FM | 72.0 x 36.0 x 12.0 | (1,828.80 x 914.40 x 304.80) | SS304 | 12ga | 1 |

Stainless Steel Control Cabinets

Floor Mount Double Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-60-10SS304-12D2-FM | 48.0 x 60.0 x 10.0 | (1,219.20 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E48-72-10SS304-12D2-FM | 48.0 x 72.0 x 10.0 | (1,219.20 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E60-60-10SS304-12D2-FM | 60.0 x 60.0 x 10.0 | (1,524.00 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E60-72-10SS304-12D2-FM | 60.0 x 72.0 x 10.0 | (1,524.00 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E72-60-10SS304-12D2-FM | 72.0 x 60.0 x 10.0 | (1,828.80 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E72-72-10SS304-12D2-FM | 72.0 x 72.0 x 10.0 | (1,828.80 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E90-60-10SS304-12D2-FM | 90.0 x 60.0 x 10.0 | (2,286.00 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E90-72-10SS304-12D2-FM | 90.0 x 72.0 x 10.0 | (2,286.00 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E48-60-16SS304-12D2-FM | 48.0 x 60.0 x 16.0 | (1,219.20 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E48-72-16SS304-12D2-FM | 48.0 x 72.0 x 16.0 | (1,219.20 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E60-60-16SS304-12D2-FM | 60.0 x 60.0 x 16.0 | (1,524.00 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E60-72-16SS304-12D2-FM | 60.0 x 72.0 x 16.0 | (1,524.00 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E72-60-16SS304-12D2-FM | 72.0 x 60.0 x 16.0 | (1,828.80 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E72-72-16SS304-12D2-FM | 72.0 x 72.0 x 16.0 | (1,828.80 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E90-60-16SS304-12D2-FM | 90.0 x 60.0 x 16.0 | (2,286.00 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E90-72-16SS304-12D2-FM | 90.0 x 72.0 x 16.0 | (2,286.00 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E48-60-20SS304-12D2-FM | 48.0 x 60.0 x 20.0 | (1,219.20 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E48-72-20SS304-12D2-FM | 48.0 x 72.0 x 20.0 | (1,219.20 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E60-60-20SS304-12D2-FM | 60.0 x 60.0 x 20.0 | (1,524.00 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E60-72-20SS304-12D2-FM | 60.0 x 72.0 x 20.0 | (1,524.00 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E72-60-20SS304-12D2-FM | 72.0 x 60.0 x 20.0 | (1,828.80 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E72-72-20SS304-12D2-FM | 72.0 x 72.0 x 20.0 | (1,828.80 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E90-60-20SS304-12D2-FM | 90.0 x 60.0 x 20.0 | (2,286.00 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E90-72-20SS304-12D2-FM | 90.0 x 72.0 x 20.0 | (2,286.00 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E48-60-24SS304-12D2-FM | 48.0 x 60.0 x 24.0 | (1,219.20 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E48-72-24SS304-12D2-FM | 48.0 x 72.0 x 24.0 | (1,219.20 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |
| E60-60-24SS304-12D2-FM | 60.0 x 60.0 x 24.0 | (1,524.00 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E60-72-24SS304-12D2-FM | 60.0 x 72.0 x 24.0 | (1,524.00 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |
| E72-60-24SS304-12D2-FM | 72.0 x 60.0 x 24.0 | (1,828.80 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E72-72-24SS304-12D2-FM | 72.0 x 72.0 x 24.0 | (1,828.80 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |
| E90-60-24SS304-12D2-FM | 90.0 x 60.0 x 24.0 | (2,286.00 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E90-72-24SS304-12D2-FM | 90.0 x 72.0 x 24.0 | (2,286.00 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |

Stainless Steel Control Cabinets

Floor Mount with Sloped Top Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-30-10SS304-12D1-FM,ST | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E48-32-10SS304-12D1-FM,ST | 48.0 x 32.0 x 10.0 | (1,219.20 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E48-36-10SS304-12D1-FM,ST | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E48-38-10SS304-12D1-FM,ST | 48.0 x 38.0 x 10.0 | (1,219.20 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E48-40-10SS304-12D1-FM,ST | 48.0 x 40.0 x 10.0 | (1,219.20 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E60-30-10SS304-12D1-FM,ST | 60.0 x 30.0 x 10.0 | (1,524.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E60-32-10SS304-12D1-FM,ST | 60.0 x 32.0 x 10.0 | (1,524.00 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E60-36-10SS304-12D1-FM,ST | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E60-38-10SS304-12D1-FM,ST | 60.0 x 38.0 x 10.0 | (1,524.00 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E60-40-10SS304-12D1-FM,ST | 60.0 x 40.0 x 10.0 | (1,524.00 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E72-30-10SS304-12D1-FM,ST | 72.0 x 30.0 x 10.0 | (1,828.80 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E72-32-10SS304-12D1-FM,ST | 72.0 x 32.0 x 10.0 | (1,828.80 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E72-36-10SS304-12D1-FM,ST | 72.0 x 36.0 x 10.0 | (1,828.80 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E72-38-10SS304-12D1-FM,ST | 72.0 x 38.0 x 10.0 | (1,828.80 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E72-40-10SS304-12D1-FM,ST | 72.0 x 40.0 x 10.0 | (1,828.80 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E90-30-10SS304-12D1-FM,ST | 90.0 x 30.0 x 10.0 | (2,286.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E90-32-10SS304-12D1-FM,ST | 90.0 x 32.0 x 10.0 | (2,286.00 x 812.80 x 254.00) | SS304 | 12ga | 1 |
| E90-36-10SS304-12D1-FM,ST | 90.0 x 36.0 x 10.0 | (2,286.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E90-38-10SS304-12D1-FM,ST | 90.0 x 38.0 x 10.0 | (2,286.00 x 965.20 x 254.00) | SS304 | 12ga | 1 |
| E90-40-10SS304-12D1-FM,ST | 90.0 x 40.0 x 10.0 | (2,286.00 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E48-30-12SS304-12D1-FM,ST | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E48-32-12SS304-12D1-FM,ST | 48.0 x 32.0 x 12.0 | (1,219.20 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E48-36-12SS304-12D1-FM,ST | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E48-38-12SS304-12D1-FM,ST | 48.0 x 38.0 x 12.0 | (1,219.20 x 965.20 x 304.80) | SS304 | 12ga | 1 |
| E48-40-12SS304-12D1-FM,ST | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E60-30-12SS304-12D1-FM,ST | 60.0 x 30.0 x 12.0 | (1,524.00 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E60-32-12SS304-12D1-FM,ST | 60.0 x 32.0 x 12.0 | (1,524.00 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E60-36-12SS304-12D1-FM,ST | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E60-38-12SS304-12D1-FM,ST | 60.0 x 38.0 x 12.0 | (1,524.00 x 965.20 x 304.80) | SS304 | 12ga | 1 |
| E60-40-12SS304-12D1-FM,ST | 60.0 x 40.0 x 12.0 | (1,524.00 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E72-30-12SS304-12D1-FM,ST | 72.0 x 30.0 x 12.0 | (1,828.80 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E72-32-12SS304-12D1-FM,ST | 72.0 x 32.0 x 12.0 | (1,828.80 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E72-36-12SS304-12D1-FM,ST | 72.0 x 36.0 x 12.0 | (1,828.80 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E72-38-12SS304-12D1-FM,ST | 72.0 x 38.0 x 12.0 | (1,828.80 x 965.20 x 304.80) | SS304 | 12ga | 1 |
| E72-40-12SS304-12D1-FM,ST | 72.0 x 40.0 x 12.0 | (1,828.80 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E90-30-12SS304-12D1-FM,ST | 90.0 x 30.0 x 12.0 | (2,286.00 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E90-32-12SS304-12D1-FM,ST | 90.0 x 32.0 x 12.0 | (2,286.00 x 812.80 x 304.80) | SS304 | 12ga | 1 |
| E90-36-12SS304-12D1-FM,ST | 90.0 x 36.0 x 12.0 | (2,286.00 x 914.40 x 304.80) | SS304 | 12ga | 1 |

| | | | | | |
|---------------------------|--------------------|--------------------------------|-------|------|---|
| E90-38-12SS304-12D1-FM,ST | 90.0 x 38.0 x 12.0 | (2,286.00 x 965.20 x 304.80) | SS304 | 12ga | 1 |
| E90-40-12SS304-12D1-FM,ST | 90.0 x 40.0 x 12.0 | (2,286.00 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E36-30-16SS304-12D1-FM,ST | 36.0 x 30.0 x 16.0 | (914.40 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E36-32-16SS304-12D1-FM,ST | 36.0 x 32.0 x 16.0 | (914.40 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E36-36-16SS304-12D1-FM,ST | 36.0 x 36.0 x 16.0 | (914.40 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E36-40-16SS304-12D1-FM,ST | 36.0 x 40.0 x 16.0 | (914.40 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E48-30-16SS304-12D1-FM,ST | 48.0 x 30.0 x 16.0 | (1,219.20 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E48-32-16SS304-12D1-FM,ST | 48.0 x 32.0 x 16.0 | (1,219.20 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E48-36-16SS304-12D1-FM,ST | 48.0 x 36.0 x 16.0 | (1,219.20 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E48-40-16SS304-12D1-FM,ST | 48.0 x 40.0 x 16.0 | (1,219.20 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E60-30-16SS304-12D1-FM,ST | 60.0 x 30.0 x 16.0 | (1,524.00 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E60-32-16SS304-12D1-FM,ST | 60.0 x 32.0 x 16.0 | (1,524.00 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E60-36-16SS304-12D1-FM,ST | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E60-40-16SS304-12D1-FM,ST | 60.0 x 40.0 x 16.0 | (1,524.00 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E72-30-16SS304-12D1-FM,ST | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E72-32-16SS304-12D1-FM,ST | 72.0 x 32.0 x 16.0 | (1,828.80 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E72-36-16SS304-12D1-FM,ST | 72.0 x 36.0 x 16.0 | (1,828.80 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E72-40-16SS304-12D1-FM,ST | 72.0 x 40.0 x 16.0 | (1,828.80 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E72-30-16SS304-12D1-FM,ST | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E90-30-16SS304-12D1-FM,ST | 90.0 x 30.0 x 16.0 | (2,286.00 x 762.00 x 406.40) | SS304 | 12ga | 1 |
| E90-32-16SS304-12D1-FM,ST | 90.0 x 32.0 x 16.0 | (2,286.00 x 812.80 x 406.40) | SS304 | 12ga | 1 |
| E90-36-16SS304-12D1-FM,ST | 90.0 x 36.0 x 16.0 | (2,286.00 x 914.40 x 406.40) | SS304 | 12ga | 1 |
| E90-38-16SS304-12D1-FM,ST | 90.0 x 38.0 x 16.0 | (2,286.00 x 965.20 x 406.40) | SS304 | 12ga | 1 |
| E90-40-16SS304-12D1-FM,ST | 90.0 x 40.0 x 16.0 | (2,286.00 x 1,016.00 x 406.40) | SS304 | 12ga | 1 |
| E60-30-20SS304-12D1-FM,ST | 60.0 x 30.0 x 20.0 | (1,524.00 x 762.00 x 508.00) | SS304 | 12ga | 1 |
| E60-32-20SS304-12D1-FM,ST | 60.0 x 32.0 x 20.0 | (1,524.00 x 812.80 x 508.00) | SS304 | 12ga | 1 |
| E60-36-20SS304-12D1-FM,ST | 60.0 x 36.0 x 20.0 | (1,524.00 x 914.40 x 508.00) | SS304 | 12ga | 1 |
| E60-40-20SS304-12D1-FM,ST | 60.0 x 40.0 x 20.0 | (1,524.00 x 1,016.00 x 508.00) | SS304 | 12ga | 1 |
| E72-30-20SS304-12D1-FM,ST | 72.0 x 30.0 x 20.0 | (1,828.80 x 762.00 x 508.00) | SS304 | 12ga | 1 |
| E72-32-20SS304-12D1-FM,ST | 72.0 x 32.0 x 20.0 | (1,828.80 x 812.80 x 508.00) | SS304 | 12ga | 1 |
| E72-36-20SS304-12D1-FM,ST | 72.0 x 36.0 x 20.0 | (1,828.80 x 914.40 x 508.00) | SS304 | 12ga | 1 |
| E72-40-20SS304-12D1-FM,ST | 72.0 x 40.0 x 20.0 | (1,828.80 x 1,016.00 x 508.00) | SS304 | 12ga | 1 |
| E72-30-20SS304-12D1-FM,ST | 72.0 x 30.0 x 20.0 | (1,828.80 x 762.00 x 508.00) | SS304 | 12ga | 1 |
| E90-30-20SS304-12D1-FM,ST | 90.0 x 30.0 x 20.0 | (2,286.00 x 762.00 x 508.00) | SS304 | 12ga | 1 |
| E90-32-20SS304-12D1-FM,ST | 90.0 x 32.0 x 20.0 | (2,286.00 x 812.80 x 508.00) | SS304 | 12ga | 1 |
| E90-36-20SS304-12D1-FM,ST | 90.0 x 36.0 x 20.0 | (2,286.00 x 914.40 x 508.00) | SS304 | 12ga | 1 |
| E90-38-20SS304-12D1-FM,ST | 90.0 x 38.0 x 20.0 | (2,286.00 x 965.20 x 508.00) | SS304 | 12ga | 1 |
| E90-40-20SS304-12D1-FM,ST | 90.0 x 40.0 x 20.0 | (2,286.00 x 1,016.00 x 508.00) | SS304 | 12ga | 1 |
| E72-30-24SS304-12D1-FM,ST | 72.0 x 30.0 x 24.0 | (1,828.80 x 762.00 x 609.60) | SS304 | 12ga | 1 |
| E72-32-24SS304-12D1-FM,ST | 72.0 x 32.0 x 24.0 | (1,828.80 x 812.80 x 609.60) | SS304 | 12ga | 1 |
| E72-36-24SS304-12D1-FM,ST | 72.0 x 36.0 x 24.0 | (1,828.80 x 914.40 x 609.60) | SS304 | 12ga | 1 |
| E72-40-24SS304-12D1-FM,ST | 72.0 x 40.0 x 24.0 | (1,828.80 x 1,016.00 x 609.60) | SS304 | 12ga | 1 |
| E72-30-24SS304-12D1-FM,ST | 72.0 x 30.0 x 24.0 | (1,828.80 x 762.00 x 609.60) | SS304 | 12ga | 1 |
| E90-30-24SS304-12D1-FM,ST | 90.0 x 30.0 x 24.0 | (2,286.00 x 762.00 x 609.60) | SS304 | 12ga | 1 |
| E90-32-24SS304-12D1-FM,ST | 90.0 x 32.0 x 24.0 | (2,286.00 x 812.80 x 609.60) | SS304 | 12ga | 1 |
| E90-36-24SS304-12D1-FM,ST | 90.0 x 36.0 x 24.0 | (2,286.00 x 914.40 x 609.60) | SS304 | 12ga | 1 |
| E90-38-24SS304-12D1-FM,ST | 90.0 x 38.0 x 24.0 | (2,286.00 x 965.20 x 609.60) | SS304 | 12ga | 1 |
| E90-40-24SS304-12D1-FM,ST | 90.0 x 40.0 x 24.0 | (2,286.00 x 1,016.00 x 609.60) | SS304 | 12ga | 1 |

Stainless Steel Control Cabinets

Floor Mount with Sloped Top Double Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-60-10SS304-12D2-FM,ST | 48.0 x 60.0 x 10.0 | (1,219.20 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E48-72-10SS304-12D2-FM,ST | 48.0 x 72.0 x 10.0 | (1,219.20 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E60-60-10SS304-12D2-FM,ST | 60.0 x 60.0 x 10.0 | (1,524.00 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E60-72-10SS304-12D2-FM,ST | 60.0 x 72.0 x 10.0 | (1,524.00 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E72-60-10SS304-12D2-FM,ST | 72.0 x 60.0 x 10.0 | (1,828.80 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E72-72-10SS304-12D2-FM,ST | 72.0 x 72.0 x 10.0 | (1,828.80 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E90-60-10SS304-12D2-FM,ST | 90.0 x 60.0 x 10.0 | (2,286.00 x 1,524.00 x 254.00) | SS304 | 12ga | 2 |
| E90-72-10SS304-12D2-FM,ST | 90.0 x 72.0 x 10.0 | (2,286.00 x 1,828.80 x 254.00) | SS304 | 12ga | 2 |
| E48-60-16SS304-12D2-FM,ST | 48.0 x 60.0 x 16.0 | (1,219.20 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E48-72-16SS304-12D2-FM,ST | 48.0 x 72.0 x 16.0 | (1,219.20 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E60-60-16SS304-12D2-FM,ST | 60.0 x 60.0 x 16.0 | (1,524.00 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E60-72-16SS304-12D2-FM,ST | 60.0 x 72.0 x 16.0 | (1,524.00 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E72-60-16SS304-12D2-FM,ST | 72.0 x 60.0 x 16.0 | (1,828.80 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E72-72-16SS304-12D2-FM,ST | 72.0 x 72.0 x 16.0 | (1,828.80 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E90-60-16SS304-12D2-FM,ST | 90.0 x 60.0 x 16.0 | (2,286.00 x 1,524.00 x 406.40) | SS304 | 12ga | 2 |
| E90-72-16SS304-12D2-FM,ST | 90.0 x 72.0 x 16.0 | (2,286.00 x 1,828.80 x 406.40) | SS304 | 12ga | 2 |
| E48-60-20SS304-12D2-FM,ST | 48.0 x 60.0 x 20.0 | (1,219.20 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E48-72-20SS304-12D2-FM,ST | 48.0 x 72.0 x 20.0 | (1,219.20 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E60-60-20SS304-12D2-FM,ST | 60.0 x 60.0 x 20.0 | (1,524.00 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E60-72-20SS304-12D2-FM,ST | 60.0 x 72.0 x 20.0 | (1,524.00 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E72-60-20SS304-12D2-FM,ST | 72.0 x 60.0 x 20.0 | (1,828.80 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E72-72-20SS304-12D2-FM,ST | 72.0 x 72.0 x 20.0 | (1,828.80 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E90-60-20SS304-12D2-FM,ST | 90.0 x 60.0 x 20.0 | (2,286.00 x 1,524.00 x 508.00) | SS304 | 12ga | 2 |
| E90-72-20SS304-12D2-FM,ST | 90.0 x 72.0 x 20.0 | (2,286.00 x 1,828.80 x 508.00) | SS304 | 12ga | 2 |
| E48-60-24SS304-12D2-FM,ST | 48.0 x 60.0 x 24.0 | (1,219.20 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E48-72-24SS304-12D2-FM,ST | 48.0 x 72.0 x 24.0 | (1,219.20 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |
| E60-60-24SS304-12D2-FM,ST | 60.0 x 60.0 x 24.0 | (1,524.00 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E60-72-24SS304-12D2-FM,ST | 60.0 x 72.0 x 24.0 | (1,524.00 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |
| E72-60-24SS304-12D2-FM,ST | 72.0 x 60.0 x 24.0 | (1,828.80 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E72-72-24SS304-12D2-FM,ST | 72.0 x 72.0 x 24.0 | (1,828.80 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |
| E90-60-24SS304-12D2-FM,ST | 90.0 x 60.0 x 24.0 | (2,286.00 x 1,524.00 x 609.60) | SS304 | 12ga | 2 |
| E90-72-24SS304-12D2-FM,ST | 90.0 x 72.0 x 24.0 | (2,286.00 x 1,828.80 x 609.60) | SS304 | 12ga | 2 |

Stainless Steel Electrical Enclosures

Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E12-12-6SS304-14D1 | 12.0 x 12.0 x 6.0 | (304.80 x 304.80 x 152.40) | SS304 | 14ga | 1 |
| E16-12-6SS304-14D1 | 16.0 x 12.0 x 6.0 | (406.40 x 304.80 x 152.40) | SS304 | 14ga | 1 |
| E16-16-6SS304-14D1 | 16.0 x 16.0 x 6.0 | (406.40 x 406.40 x 152.40) | SS304 | 14ga | 1 |
| E20-16-6SS304-14D1 | 20.0 x 16.0 x 6.0 | (508.00 x 406.40 x 152.40) | SS304 | 14ga | 1 |
| E20-20-6SS304-14D1 | 20.0 x 20.0 x 6.0 | (508.00 x 508.00 x 152.40) | SS304 | 14ga | 1 |
| E24-16-6SS304-14D1 | 24.0 x 16.0 x 6.0 | (609.60 x 406.40 x 152.40) | SS304 | 14ga | 1 |
| E24-20-6SS304-14D1 | 24.0 x 20.0 x 6.0 | (609.60 x 508.00 x 152.40) | SS304 | 14ga | 1 |
| E24-24-6SS304-14D1 | 24.0 x 24.0 x 6.0 | (609.60 x 609.60 x 152.40) | SS304 | 14ga | 1 |
| E16-12-8SS304-14D1 | 16.0 x 12.0 x 8.0 | (406.40 x 304.80 x 203.20) | SS304 | 14ga | 1 |
| E16-16-8SS304-14D1 | 16.0 x 16.0 x 8.0 | (406.40 x 406.40 x 203.20) | SS304 | 14ga | 1 |
| E20-16-8SS304-14D1 | 20.0 x 16.0 x 8.0 | (508.00 x 406.40 x 203.20) | SS304 | 14ga | 1 |
| E20-20-8SS304-14D1 | 20.0 x 20.0 x 8.0 | (508.00 x 508.00 x 203.20) | SS304 | 14ga | 1 |
| E24-16-8SS304-14D1 | 24.0 x 16.0 x 8.0 | (609.60 x 406.40 x 203.20) | SS304 | 14ga | 1 |
| E24-20-8SS304-14D1 | 24.0 x 20.0 x 8.0 | (609.60 x 508.00 x 203.20) | SS304 | 14ga | 1 |
| E24-24-8SS304-14D1 | 24.0 x 24.0 x 8.0 | (609.60 x 609.60 x 203.20) | SS304 | 14ga | 1 |
| E30-20-8SS304-14D1 | 30.0 x 20.0 x 8.0 | (762.00 x 508.00 x 203.20) | SS304 | 14ga | 1 |
| E30-24-8SS304-14D1 | 30.0 x 24.0 x 8.0 | (762.00 x 609.60 x 203.20) | SS304 | 14ga | 1 |
| E30-30-8SS304-14D1 | 30.0 x 30.0 x 8.0 | (762.00 x 762.00 x 203.20) | SS304 | 14ga | 1 |
| E36-24-8SS304-14D1 | 36.0 x 24.0 x 8.0 | (914.40 x 609.60 x 203.20) | SS304 | 14ga | 1 |
| E36-30-8SS304-14D1 | 36.0 x 30.0 x 8.0 | (914.40 x 762.00 x 203.20) | SS304 | 14ga | 1 |
| E36-36-8SS304-14D1 | 36.0 x 36.0 x 8.0 | (914.40 x 914.40 x 203.20) | SS304 | 14ga | 1 |
| E16-12-10SS304-14D1 | 16.0 x 12.0 x 10.0 | (406.40 x 304.80 x 254.00) | SS304 | 14ga | 1 |
| E16-16-10SS304-14D1 | 16.0 x 16.0 x 10.0 | (406.40 x 406.40 x 254.00) | SS304 | 14ga | 1 |
| E20-16-10SS304-14D1 | 20.0 x 16.0 x 10.0 | (508.00 x 406.40 x 254.00) | SS304 | 14ga | 1 |
| E20-20-10SS304-14D1 | 20.0 x 20.0 x 10.0 | (508.00 x 508.00 x 254.00) | SS304 | 14ga | 1 |
| E24-16-10SS304-14D1 | 24.0 x 16.0 x 10.0 | (609.60 x 406.40 x 254.00) | SS304 | 14ga | 1 |
| E24-20-10SS304-14D1 | 24.0 x 20.0 x 10.0 | (609.60 x 508.00 x 254.00) | SS304 | 14ga | 1 |
| E24-24-10SS304-14D1 | 24.0 x 24.0 x 10.0 | (609.60 x 609.60 x 254.00) | SS304 | 14ga | 1 |
| E30-20-10SS304-14D1 | 30.0 x 20.0 x 10.0 | (762.00 x 508.00 x 254.00) | SS304 | 14ga | 1 |
| E30-24-10SS304-14D1 | 30.0 x 24.0 x 10.0 | (762.00 x 609.60 x 254.00) | SS304 | 14ga | 1 |
| E30-30-10SS304-14D1 | 30.0 x 30.0 x 10.0 | (762.00 x 762.00 x 254.00) | SS304 | 14ga | 1 |
| E36-24-10SS304-12D1 | 36.0 x 24.0 x 10.0 | (914.40 x 609.60 x 254.00) | SS304 | 12ga | 1 |
| E36-30-10SS304-12D1 | 36.0 x 30.0 x 10.0 | (914.40 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E36-36-10SS304-12D1 | 36.0 x 36.0 x 10.0 | (914.40 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E40-24-10SS304-12D1 | 40.0 x 24.0 x 10.0 | (1,016.00 x 609.60 x 254.00) | SS304 | 12ga | 1 |
| E40-30-10SS304-12D1 | 40.0 x 30.0 x 10.0 | (1,016.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E40-36-10SS304-12D1 | 40.0 x 36.0 x 10.0 | (1,016.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E40-40-10SS304-12D1 | 40.0 x 40.0 x 10.0 | (1,016.00 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |

| | | | | | |
|---------------------|--------------------|--------------------------------|-------|------|---|
| E48-24-10SS304-12D1 | 48.0 x 24.0 x 10.0 | (1,219.20 x 609.60 x 254.00) | SS304 | 12ga | 1 |
| E48-30-10SS304-12D1 | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E48-36-10SS304-12D1 | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E48-40-10SS304-12D1 | 48.0 x 40.0 x 10.0 | (1,219.20 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E36-24-12SS304-12D1 | 36.0 x 24.0 x 12.0 | (914.40 x 609.60 x 304.80) | SS304 | 12ga | 1 |
| E36-30-12SS304-12D1 | 36.0 x 30.0 x 12.0 | (914.40 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E36-36-12SS304-12D1 | 36.0 x 36.0 x 12.0 | (914.40 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E40-24-12SS304-12D1 | 40.0 x 24.0 x 12.0 | (1,016.00 x 609.60 x 304.80) | SS304 | 12ga | 1 |
| E40-30-12SS304-12D1 | 40.0 x 30.0 x 12.0 | (1,016.00 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E40-36-12SS304-12D1 | 40.0 x 36.0 x 12.0 | (1,016.00 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E40-40-12SS304-12D1 | 40.0 x 40.0 x 12.0 | (1,016.00 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E48-24-12SS304-12D1 | 48.0 x 24.0 x 12.0 | (1,219.20 x 609.60 x 304.80) | SS304 | 12ga | 1 |
| E48-30-12SS304-12D1 | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E48-36-12SS304-12D1 | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E48-40-12SS304-12D1 | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |

Stainless Steel Electrical Enclosures

Double Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E20-24-6SS304-14D2 | 20.0 x 24.0 x 6.0 | (508.00 x 609.60 x 152.40) | SS304 | 14ga | 2 |
| E20-36-6SS304-14D2 | 20.0 x 36.0 x 6.0 | (508.00 x 914.40 x 152.40) | SS304 | 14ga | 2 |
| E20-48-6SS304-14D2 | 20.0 x 48.0 x 6.0 | (508.00 x 1,219.20 x 152.40) | SS304 | 14ga | 2 |
| E36-24-6SS304-14D2 | 36.0 x 24.0 x 6.0 | (914.40 x 609.60 x 152.40) | SS304 | 14ga | 2 |
| E36-36-6SS304-14D2 | 36.0 x 36.0 x 6.0 | (914.40 x 914.40 x 152.40) | SS304 | 14ga | 2 |
| E36-48-6SS304-14D2 | 36.0 x 48.0 x 6.0 | (914.40 x 1,219.20 x 152.40) | SS304 | 14ga | 2 |
| E48-24-6SS304-14D2 | 48.0 x 24.0 x 6.0 | (1,219.20 x 609.60 x 152.40) | SS304 | 14ga | 2 |
| E48-36-6SS304-14D2 | 48.0 x 36.0 x 6.0 | (1,219.20 x 914.40 x 152.40) | SS304 | 14ga | 2 |
| E48-48-6SS304-12D2 | 48.0 x 48.0 x 6.0 | (1,219.20 x 1,219.20 x 152.40) | SS304 | 12ga | 2 |
| E36-24-10SS304-14D2 | 36.0 x 24.0 x 10.0 | (914.40 x 609.60 x 254.00) | SS304 | 14ga | 2 |
| E36-36-10SS304-14D2 | 36.0 x 36.0 x 10.0 | (914.40 x 914.40 x 254.00) | SS304 | 14ga | 2 |
| E36-48-10SS304-14D2 | 36.0 x 48.0 x 10.0 | (914.40 x 1,219.20 x 254.00) | SS304 | 14ga | 2 |
| E48-24-10SS304-14D2 | 48.0 x 24.0 x 10.0 | (1,219.20 x 609.60 x 254.00) | SS304 | 14ga | 2 |
| E48-36-10SS304-14D2 | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | SS304 | 14ga | 2 |
| E48-48-10SS304-14D2 | 48.0 x 48.0 x 10.0 | (1,219.20 x 1,219.20 x 254.00) | SS304 | 14ga | 2 |
| E60-24-10SS304-12D2 | 60.0 x 24.0 x 10.0 | (1,524.00 x 609.60 x 254.00) | SS304 | 12ga | 2 |
| E60-36-10SS304-12D2 | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | SS304 | 12ga | 2 |
| E60-48-10SS304-12D2 | 60.0 x 48.0 x 10.0 | (1,524.00 x 1,219.20 x 254.00) | SS304 | 12ga | 2 |
| E72-48-10SS304-12D2 | 72.0 x 48.0 x 10.0 | (1,828.80 x 1,219.20 x 254.00) | SS304 | 12ga | 2 |
| E20-24-12SS304-14D2 | 20.0 x 24.0 x 12.0 | (508.00 x 609.60 x 304.80) | SS304 | 14ga | 2 |
| E20-36-12SS304-14D2 | 20.0 x 36.0 x 12.0 | (508.00 x 914.40 x 304.80) | SS304 | 14ga | 2 |
| E20-48-12SS304-14D2 | 20.0 x 48.0 x 12.0 | (508.00 x 1,219.20 x 304.80) | SS304 | 14ga | 2 |
| E36-24-12SS304-14D2 | 36.0 x 24.0 x 12.0 | (914.40 x 609.60 x 304.80) | SS304 | 14ga | 2 |
| E36-36-12SS304-14D2 | 36.0 x 36.0 x 12.0 | (914.40 x 914.40 x 304.80) | SS304 | 14ga | 2 |
| E36-48-12SS304-14D2 | 36.0 x 48.0 x 12.0 | (914.40 x 1,219.20 x 304.80) | SS304 | 14ga | 2 |
| E48-24-12SS304-14D2 | 48.0 x 24.0 x 12.0 | (1,219.20 x 609.60 x 304.80) | SS304 | 14ga | 2 |
| E48-36-12SS304-14D2 | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | SS304 | 14ga | 2 |
| E48-48-12SS304-14D2 | 48.0 x 48.0 x 12.0 | (1,219.20 x 1,219.20 x 304.80) | SS304 | 14ga | 2 |
| E60-24-12SS304-12D2 | 60.0 x 24.0 x 12.0 | (1,524.00 x 609.60 x 304.80) | SS304 | 12ga | 2 |
| E60-36-12SS304-12D2 | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | SS304 | 12ga | 2 |
| E60-48-12SS304-12D2 | 60.0 x 48.0 x 12.0 | (1,524.00 x 1,219.20 x 304.80) | SS304 | 12ga | 2 |
| E72-48-12SS304-12D2 | 72.0 x 48.0 x 12.0 | (1,828.80 x 1,219.20 x 304.80) | SS304 | 12ga | 2 |
| E20-24-16SS304-14D2 | 20.0 x 24.0 x 16.0 | (508.00 x 609.60 x 406.40) | SS304 | 14ga | 2 |
| E20-36-16SS304-14D2 | 20.0 x 36.0 x 16.0 | (508.00 x 914.40 x 406.40) | SS304 | 14ga | 2 |
| E20-48-16SS304-14D2 | 20.0 x 48.0 x 16.0 | (508.00 x 1,219.20 x 406.40) | SS304 | 14ga | 2 |
| E36-24-16SS304-14D2 | 36.0 x 24.0 x 16.0 | (914.40 x 609.60 x 406.40) | SS304 | 14ga | 2 |
| E36-36-16SS304-14D2 | 36.0 x 36.0 x 16.0 | (914.40 x 914.40 x 406.40) | SS304 | 14ga | 2 |

| | | | | | |
|---------------------|--------------------|--------------------------------|-------|------|---|
| E36-48-16SS304-14D2 | 36.0 x 48.0 x 16.0 | (914.40 x 1,219.20 x 406.40) | SS304 | 14ga | 2 |
| E48-24-16SS304-14D2 | 48.0 x 24.0 x 16.0 | (1,219.20 x 609.60 x 406.40) | SS304 | 14ga | 2 |
| E48-36-16SS304-14D2 | 48.0 x 36.0 x 16.0 | (1,219.20 x 914.40 x 406.40) | SS304 | 14ga | 2 |
| E48-48-16SS304-14D2 | 48.0 x 48.0 x 16.0 | (1,219.20 x 1,219.20 x 406.40) | SS304 | 14ga | 2 |
| E60-24-16SS304-12D2 | 60.0 x 24.0 x 16.0 | (1,524.00 x 609.60 x 406.40) | SS304 | 12ga | 2 |
| E60-36-16SS304-12D2 | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | SS304 | 12ga | 2 |
| E60-48-16SS304-12D2 | 60.0 x 48.0 x 16.0 | (1,524.00 x 1,219.20 x 406.40) | SS304 | 12ga | 2 |
| E72-48-16SS304-12D2 | 72.0 x 48.0 x 16.0 | (1,828.80 x 1,219.20 x 406.40) | SS304 | 12ga | 2 |

Stainless Steel Electrical Enclosures

Single Door with Sloped Top



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|----------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E12-12-6SS304-14D1-ST | 12.0 x 12.0 x 6.0 | (304.80 x 304.80 x 152.40) | SS304 | 14ga | 1 |
| E16-12-6SS304-14D1-ST | 16.0 x 12.0 x 6.0 | (406.40 x 304.80 x 152.40) | SS304 | 14ga | 1 |
| E16-16-6SS304-14D1-ST | 16.0 x 16.0 x 6.0 | (406.40 x 406.40 x 152.40) | SS304 | 14ga | 1 |
| E20-16-6SS304-14D1-ST | 20.0 x 16.0 x 6.0 | (508.00 x 406.40 x 152.40) | SS304 | 14ga | 1 |
| E20-20-6SS304-14D1-ST | 20.0 x 20.0 x 6.0 | (508.00 x 508.00 x 152.40) | SS304 | 14ga | 1 |
| E24-16-6SS304-14D1-ST | 24.0 x 16.0 x 6.0 | (609.60 x 406.40 x 152.40) | SS304 | 14ga | 1 |
| E24-20-6SS304-14D1-ST | 24.0 x 20.0 x 6.0 | (609.60 x 508.00 x 152.40) | SS304 | 14ga | 1 |
| E24-24-6SS304-14D1-ST | 24.0 x 24.0 x 6.0 | (609.60 x 609.60 x 152.40) | SS304 | 14ga | 1 |
| E16-12-8SS304-14D1-ST | 16.0 x 12.0 x 8.0 | (406.40 x 304.80 x 203.20) | SS304 | 14ga | 1 |
| E16-16-8SS304-14D1-ST | 16.0 x 16.0 x 8.0 | (406.40 x 406.40 x 203.20) | SS304 | 14ga | 1 |
| E20-16-8SS304-14D1-ST | 20.0 x 16.0 x 8.0 | (508.00 x 406.40 x 203.20) | SS304 | 14ga | 1 |
| E20-20-8SS304-14D1-ST | 20.0 x 20.0 x 8.0 | (508.00 x 508.00 x 203.20) | SS304 | 14ga | 1 |
| E24-16-8SS304-14D1-ST | 24.0 x 16.0 x 8.0 | (609.60 x 406.40 x 203.20) | SS304 | 14ga | 1 |
| E24-20-8SS304-14D1-ST | 24.0 x 20.0 x 8.0 | (609.60 x 508.00 x 203.20) | SS304 | 14ga | 1 |
| E24-24-8SS304-14D1-ST | 24.0 x 24.0 x 8.0 | (609.60 x 609.60 x 203.20) | SS304 | 14ga | 1 |
| E30-20-8SS304-14D1-ST | 30.0 x 20.0 x 8.0 | (762.00 x 508.00 x 203.20) | SS304 | 14ga | 1 |
| E30-24-8SS304-14D1-ST | 30.0 x 24.0 x 8.0 | (762.00 x 609.60 x 203.20) | SS304 | 14ga | 1 |
| E30-30-8SS304-14D1-ST | 30.0 x 30.0 x 8.0 | (762.00 x 762.00 x 203.20) | SS304 | 14ga | 1 |
| E36-24-8SS304-14D1-ST | 36.0 x 24.0 x 8.0 | (914.40 x 609.60 x 203.20) | SS304 | 14ga | 1 |
| E36-30-8SS304-14D1-ST | 36.0 x 30.0 x 8.0 | (914.40 x 762.00 x 203.20) | SS304 | 14ga | 1 |
| E36-36-8SS304-14D1-ST | 36.0 x 36.0 x 8.0 | (914.40 x 914.40 x 203.20) | SS304 | 14ga | 1 |
| E16-12-10SS304-14D1-ST | 16.0 x 12.0 x 10.0 | (406.40 x 304.80 x 254.00) | SS304 | 14ga | 1 |
| E16-16-10SS304-14D1-ST | 16.0 x 16.0 x 10.0 | (406.40 x 406.40 x 254.00) | SS304 | 14ga | 1 |
| E20-16-10SS304-14D1-ST | 20.0 x 16.0 x 10.0 | (508.00 x 406.40 x 254.00) | SS304 | 14ga | 1 |
| E20-20-10SS304-14D1-ST | 20.0 x 20.0 x 10.0 | (508.00 x 508.00 x 254.00) | SS304 | 14ga | 1 |
| E24-16-10SS304-14D1-ST | 24.0 x 16.0 x 10.0 | (609.60 x 406.40 x 254.00) | SS304 | 14ga | 1 |
| E24-20-10SS304-14D1-ST | 24.0 x 20.0 x 10.0 | (609.60 x 508.00 x 254.00) | SS304 | 14ga | 1 |
| E24-24-10SS304-14D1-ST | 24.0 x 24.0 x 10.0 | (609.60 x 609.60 x 254.00) | SS304 | 14ga | 1 |
| E30-20-10SS304-14D1-ST | 30.0 x 20.0 x 10.0 | (762.00 x 508.00 x 254.00) | SS304 | 14ga | 1 |
| E30-24-10SS304-14D1-ST | 30.0 x 24.0 x 10.0 | (762.00 x 609.60 x 254.00) | SS304 | 14ga | 1 |
| E30-30-10SS304-14D1-ST | 30.0 x 30.0 x 10.0 | (762.00 x 762.00 x 254.00) | SS304 | 14ga | 1 |
| E36-24-10SS304-12D1-ST | 36.0 x 24.0 x 10.0 | (914.40 x 609.60 x 254.00) | SS304 | 12ga | 1 |
| E36-30-10SS304-12D1-ST | 36.0 x 30.0 x 10.0 | (914.40 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E36-36-10SS304-12D1-ST | 36.0 x 36.0 x 10.0 | (914.40 x 914.40 x 254.00) | SS304 | 12ga | 1 |

| | | | | | |
|------------------------|--------------------|--------------------------------|-------|------|---|
| E40-24-10SS304-12D1-ST | 40.0 x 24.0 x 10.0 | (1,016.00 x 609.60 x 254.00) | SS304 | 12ga | 1 |
| E40-30-10SS304-12D1-ST | 40.0 x 30.0 x 10.0 | (1,016.00 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E40-36-10SS304-12D1-ST | 40.0 x 36.0 x 10.0 | (1,016.00 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E40-40-10SS304-12D1-ST | 40.0 x 40.0 x 10.0 | (1,016.00 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E48-24-10SS304-12D1-ST | 48.0 x 24.0 x 10.0 | (1,219.20 x 609.60 x 254.00) | SS304 | 12ga | 1 |
| E48-30-10SS304-12D1-ST | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | SS304 | 12ga | 1 |
| E48-36-10SS304-12D1-ST | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | SS304 | 12ga | 1 |
| E48-40-10SS304-12D1-ST | 48.0 x 40.0 x 10.0 | (1,219.20 x 1,016.00 x 254.00) | SS304 | 12ga | 1 |
| E36-24-12SS304-12D1-ST | 36.0 x 24.0 x 12.0 | (914.40 x 609.60 x 304.80) | SS304 | 12ga | 1 |
| E36-30-12SS304-12D1-ST | 36.0 x 30.0 x 12.0 | (914.40 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E36-36-12SS304-12D1-ST | 36.0 x 36.0 x 12.0 | (914.40 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E40-24-12SS304-12D1-ST | 40.0 x 24.0 x 12.0 | (1,016.00 x 609.60 x 304.80) | SS304 | 12ga | 1 |
| E40-30-12SS304-12D1-ST | 40.0 x 30.0 x 12.0 | (1,016.00 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E40-36-12SS304-12D1-ST | 40.0 x 36.0 x 12.0 | (1,016.00 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E40-40-12SS304-12D1-ST | 40.0 x 40.0 x 12.0 | (1,016.00 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |
| E48-24-12SS304-12D1-ST | 48.0 x 24.0 x 12.0 | (1,219.20 x 609.60 x 304.80) | SS304 | 12ga | 1 |
| E48-30-12SS304-12D1-ST | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | SS304 | 12ga | 1 |
| E48-36-12SS304-12D1-ST | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | SS304 | 12ga | 1 |
| E48-40-12SS304-12D1-ST | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | SS304 | 12ga | 1 |

Stainless Steel Electrical Enclosures

Double Door with Sloped Top



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E20-24-6SS304-14D2 | 20.0 x 24.0 x 6.0 | (508.00 x 609.60 x 152.40) | SS304 | 14ga | 2 |
| E20-36-6SS304-14D2 | 20.0 x 36.0 x 6.0 | (508.00 x 914.40 x 152.40) | SS304 | 14ga | 2 |
| E20-48-6SS304-14D2 | 20.0 x 48.0 x 6.0 | (508.00 x 1,219.20 x 152.40) | SS304 | 14ga | 2 |
| E36-24-6SS304-14D2 | 36.0 x 24.0 x 6.0 | (914.40 x 609.60 x 152.40) | SS304 | 14ga | 2 |
| E36-36-6SS304-14D2 | 36.0 x 36.0 x 6.0 | (914.40 x 914.40 x 152.40) | SS304 | 14ga | 2 |
| E36-48-6SS304-14D2 | 36.0 x 48.0 x 6.0 | (914.40 x 1,219.20 x 152.40) | SS304 | 14ga | 2 |
| E48-24-6SS304-14D2 | 48.0 x 24.0 x 6.0 | (1,219.20 x 609.60 x 152.40) | SS304 | 14ga | 2 |
| E48-36-6SS304-14D2 | 48.0 x 36.0 x 6.0 | (1,219.20 x 914.40 x 152.40) | SS304 | 14ga | 2 |
| E48-48-6SS304-12D2 | 48.0 x 48.0 x 6.0 | (1,219.20 x 1,219.20 x 152.40) | SS304 | 12ga | 2 |
| E36-24-10SS304-14D2 | 36.0 x 24.0 x 10.0 | (914.40 x 609.60 x 254.00) | SS304 | 14ga | 2 |
| E36-36-10SS304-14D2 | 36.0 x 36.0 x 10.0 | (914.40 x 914.40 x 254.00) | SS304 | 14ga | 2 |
| E36-48-10SS304-14D2 | 36.0 x 48.0 x 10.0 | (914.40 x 1,219.20 x 254.00) | SS304 | 14ga | 2 |
| E48-24-10SS304-14D2 | 48.0 x 24.0 x 10.0 | (1,219.20 x 609.60 x 254.00) | SS304 | 14ga | 2 |
| E48-36-10SS304-14D2 | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | SS304 | 14ga | 2 |
| E48-48-10SS304-14D2 | 48.0 x 48.0 x 10.0 | (1,219.20 x 1,219.20 x 254.00) | SS304 | 14ga | 2 |
| E60-24-10SS304-12D2 | 60.0 x 24.0 x 10.0 | (1,524.00 x 609.60 x 254.00) | SS304 | 12ga | 2 |
| E60-36-10SS304-12D2 | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | SS304 | 12ga | 2 |
| E60-48-10SS304-12D2 | 60.0 x 48.0 x 10.0 | (1,524.00 x 1,219.20 x 254.00) | SS304 | 12ga | 2 |
| E72-48-10SS304-12D2 | 72.0 x 48.0 x 10.0 | (1,828.80 x 1,219.20 x 254.00) | SS304 | 12ga | 2 |
| E20-24-12SS304-14D2 | 20.0 x 24.0 x 12.0 | (508.00 x 609.60 x 304.80) | SS304 | 14ga | 2 |
| E20-36-12SS304-14D2 | 20.0 x 36.0 x 12.0 | (508.00 x 914.40 x 304.80) | SS304 | 14ga | 2 |
| E20-48-12SS304-14D2 | 20.0 x 48.0 x 12.0 | (508.00 x 1,219.20 x 304.80) | SS304 | 14ga | 2 |
| E36-24-12SS304-14D2 | 36.0 x 24.0 x 12.0 | (914.40 x 609.60 x 304.80) | SS304 | 14ga | 2 |
| E36-36-12SS304-14D2 | 36.0 x 36.0 x 12.0 | (914.40 x 914.40 x 304.80) | SS304 | 14ga | 2 |
| E36-48-12SS304-14D2 | 36.0 x 48.0 x 12.0 | (914.40 x 1,219.20 x 304.80) | SS304 | 14ga | 2 |
| E48-24-12SS304-14D2 | 48.0 x 24.0 x 12.0 | (1,219.20 x 609.60 x 304.80) | SS304 | 14ga | 2 |
| E48-36-12SS304-14D2 | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | SS304 | 14ga | 2 |
| E48-48-12SS304-14D2 | 48.0 x 48.0 x 12.0 | (1,219.20 x 1,219.20 x 304.80) | SS304 | 14ga | 2 |
| E60-24-12SS304-12D2 | 60.0 x 24.0 x 12.0 | (1,524.00 x 609.60 x 304.80) | SS304 | 12ga | 2 |
| E60-36-12SS304-12D2 | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | SS304 | 12ga | 2 |
| E60-48-12SS304-12D2 | 60.0 x 48.0 x 12.0 | (1,524.00 x 1,219.20 x 304.80) | SS304 | 12ga | 2 |
| E72-48-12SS304-12D2 | 72.0 x 48.0 x 12.0 | (1,828.80 x 1,219.20 x 304.80) | SS304 | 12ga | 2 |
| E20-24-16SS304-14D2 | 20.0 x 24.0 x 16.0 | (508.00 x 609.60 x 406.40) | SS304 | 14ga | 2 |
| E20-36-16SS304-14D2 | 20.0 x 36.0 x 16.0 | (508.00 x 914.40 x 406.40) | SS304 | 14ga | 2 |
| E20-48-16SS304-14D2 | 20.0 x 48.0 x 16.0 | (508.00 x 1,219.20 x 406.40) | SS304 | 14ga | 2 |

| | | | | | |
|---------------------|--------------------|--------------------------------|-------|------|---|
| E36-24-16SS304-14D2 | 36.0 x 24.0 x 16.0 | (914.40 x 609.60 x 406.40) | SS304 | 14ga | 2 |
| E36-36-16SS304-14D2 | 36.0 x 36.0 x 16.0 | (914.40 x 914.40 x 406.40) | SS304 | 14ga | 2 |
| E36-48-16SS304-14D2 | 36.0 x 48.0 x 16.0 | (914.40 x 1,219.20 x 406.40) | SS304 | 14ga | 2 |
| E48-24-16SS304-14D2 | 48.0 x 24.0 x 16.0 | (1,219.20 x 609.60 x 406.40) | SS304 | 14ga | 2 |
| E48-36-16SS304-14D2 | 48.0 x 36.0 x 16.0 | (1,219.20 x 914.40 x 406.40) | SS304 | 14ga | 2 |
| E48-48-16SS304-14D2 | 48.0 x 48.0 x 16.0 | (1,219.20 x 1,219.20 x 406.40) | SS304 | 14ga | 2 |
| E60-24-16SS304-12D2 | 60.0 x 24.0 x 16.0 | (1,524.00 x 609.60 x 406.40) | SS304 | 12ga | 2 |
| E60-36-16SS304-12D2 | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | SS304 | 12ga | 2 |
| E60-48-16SS304-12D2 | 60.0 x 48.0 x 16.0 | (1,524.00 x 1,219.20 x 406.40) | SS304 | 12ga | 2 |
| E72-48-16SS304-12D2 | 72.0 x 48.0 x 16.0 | (1,828.80 x 1,219.20 x 406.40) | SS304 | 12ga | 2 |

Stainless Steel Junction Boxes

Bolt On Lid



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------|--------------------|----------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| B4-6-4SS304-16D1 | 4.0 x 6.0 x 4.0 | (101.60 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| B4-8-4SS304-16D1 | 4.0 x 8.0 x 4.0 | (101.60 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| B4-10-4SS304-16D1 | 4.0 x 10.0 x 4.0 | (101.60 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| B4-12-4SS304-16D1 | 4.0 x 12.0 x 4.0 | (101.60 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| B6-6-4SS304-16D1 | 6.0 x 6.0 x 4.0 | (152.40 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| B6-8-4SS304-16D1 | 6.0 x 8.0 x 4.0 | (152.40 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| B6-10-4SS304-16D1 | 6.0 x 10.0 x 4.0 | (152.40 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| B6-12-4SS304-16D1 | 6.0 x 12.0 x 4.0 | (152.40 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| B8-6-4SS304-16D1 | 8.0 x 6.0 x 4.0 | (203.20 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| B8-8-4SS304-16D1 | 8.0 x 8.0 x 4.0 | (203.20 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| B8-10-4SS304-16D1 | 8.0 x 10.0 x 4.0 | (203.20 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| B8-12-4SS304-16D1 | 8.0 x 12.0 x 4.0 | (203.20 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| B10-6-4SS304-16D1 | 10.0 x 6.0 x 4.0 | (254.00 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| B10-8-4SS304-16D1 | 10.0 x 8.0 x 4.0 | (254.00 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| B10-10-4SS304-16D1 | 10.0 x 10.0 x 4.0 | (254.00 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| B10-12-4SS304-16D1 | 10.0 x 12.0 x 4.0 | (254.00 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| B12-6-4SS304-16D1 | 12.0 x 6.0 x 4.0 | (304.80 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| B12-8-4SS304-16D1 | 12.0 x 8.0 x 4.0 | (304.80 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| B12-10-4SS304-16D1 | 12.0 x 10.0 x 4.0 | (304.80 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| B12-12-4SS304-16D1 | 12.0 x 12.0 x 4.0 | (304.80 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| B4-6-6SS304-16D1 | 4.0 x 6.0 x 6.0 | (101.60 x 152.40 x 152.40) | SS304 | 16ga | 1 |
| B4-8-6SS304-16D1 | 4.0 x 8.0 x 6.0 | (101.60 x 203.20 x 152.40) | SS304 | 16ga | 1 |
| B4-10-6SS304-16D1 | 4.0 x 10.0 x 6.0 | (101.60 x 254.00 x 152.40) | SS304 | 16ga | 1 |
| B4-12-6SS304-16D1 | 4.0 x 12.0 x 6.0 | (101.60 x 304.80 x 152.40) | SS304 | 16ga | 1 |
| B6-6-6SS304-16D1 | 6.0 x 6.0 x 6.0 | (152.40 x 152.40 x 152.40) | SS304 | 16ga | 1 |
| B6-8-6SS304-16D1 | 6.0 x 8.0 x 6.0 | (152.40 x 203.20 x 152.40) | SS304 | 16ga | 1 |
| B6-10-6SS304-16D1 | 6.0 x 10.0 x 6.0 | (152.40 x 254.00 x 152.40) | SS304 | 16ga | 1 |
| B6-12-6SS304-16D1 | 6.0 x 12.0 x 6.0 | (152.40 x 304.80 x 152.40) | SS304 | 16ga | 1 |
| B8-6-6SS304-16D1 | 8.0 x 6.0 x 6.0 | (203.20 x 152.40 x 152.40) | SS304 | 16ga | 1 |
| B8-8-6SS304-16D1 | 8.0 x 8.0 x 6.0 | (203.20 x 203.20 x 152.40) | SS304 | 16ga | 1 |
| B8-10-6SS304-16D1 | 8.0 x 10.0 x 6.0 | (203.20 x 254.00 x 152.40) | SS304 | 16ga | 1 |
| B8-12-6SS304-16D1 | 8.0 x 12.0 x 6.0 | (203.20 x 304.80 x 152.40) | SS304 | 16ga | 1 |
| B10-6-10SS304-16D1 | 10.0 x 6.0 x 10.0 | (254.00 x 152.40 x 254.00) | SS304 | 16ga | 1 |
| B10-8-10SS304-16D1 | 10.0 x 8.0 x 10.0 | (254.00 x 203.20 x 254.00) | SS304 | 16ga | 1 |
| B10-10-10SS304-16D1 | 10.0 x 10.0 x 10.0 | (254.00 x 254.00 x 254.00) | SS304 | 16ga | 1 |
| B10-12-10SS304-16D1 | 10.0 x 12.0 x 10.0 | (254.00 x 304.80 x 254.00) | SS304 | 16ga | 1 |
| B12-6-10SS304-16D1 | 12.0 x 6.0 x 10.0 | (304.80 x 152.40 x 254.00) | SS304 | 16ga | 1 |
| B12-8-10SS304-16D1 | 12.0 x 8.0 x 10.0 | (304.80 x 203.20 x 254.00) | SS304 | 16ga | 1 |

| | | | | | |
|---------------------|--------------------|----------------------------|-------|------|---|
| B12-10-10SS304-16D1 | 12.0 x 10.0 x 10.0 | (304.80 x 254.00 x 254.00) | SS304 | 16ga | 1 |
| B12-12-10SS304-16D1 | 12.0 x 12.0 x 10.0 | (304.80 x 304.80 x 254.00) | SS304 | 16ga | 1 |

Stainless Steel Junction Boxes

Hinge and Hasp



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|--------------------|-------------------|----------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| H6-6-4SS304-16D1 | 6.0 x 6.0 x 4.0 | (152.40 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| H6-8-4SS304-16D1 | 6.0 x 8.0 x 4.0 | (152.40 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| H6-10-4SS304-16D1 | 6.0 x 10.0 x 4.0 | (152.40 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| H6-12-4SS304-16D1 | 6.0 x 12.0 x 4.0 | (152.40 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| H8-6-4SS304-16D1 | 8.0 x 6.0 x 4.0 | (203.20 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| H8-8-4SS304-16D1 | 8.0 x 8.0 x 4.0 | (203.20 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| H8-10-4SS304-16D1 | 8.0 x 10.0 x 4.0 | (203.20 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| H8-12-4SS304-16D1 | 8.0 x 12.0 x 4.0 | (203.20 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| H10-6-4SS304-16D1 | 10.0 x 6.0 x 4.0 | (254.00 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| H10-8-4SS304-16D1 | 10.0 x 8.0 x 4.0 | (254.00 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| H10-10-4SS304-16D1 | 10.0 x 10.0 x 4.0 | (254.00 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| H10-12-4SS304-16D1 | 10.0 x 12.0 x 4.0 | (254.00 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| H12-6-4SS304-16D1 | 12.0 x 6.0 x 4.0 | (304.80 x 152.40 x 101.60) | SS304 | 16ga | 1 |
| H12-8-4SS304-16D1 | 12.0 x 8.0 x 4.0 | (304.80 x 203.20 x 101.60) | SS304 | 16ga | 1 |
| H12-10-4SS304-16D1 | 12.0 x 10.0 x 4.0 | (304.80 x 254.00 x 101.60) | SS304 | 16ga | 1 |
| H12-12-4SS304-16D1 | 12.0 x 12.0 x 4.0 | (304.80 x 304.80 x 101.60) | SS304 | 16ga | 1 |
| H6-6-6SS304-16D1 | 6.0 x 6.0 x 6.0 | (152.40 x 152.40 x 152.40) | SS304 | 16ga | 1 |
| H6-8-6SS304-16D1 | 6.0 x 8.0 x 6.0 | (152.40 x 203.20 x 152.40) | SS304 | 16ga | 1 |
| H6-10-6SS304-16D1 | 6.0 x 10.0 x 6.0 | (152.40 x 254.00 x 152.40) | SS304 | 16ga | 1 |
| H6-12-6SS304-16D1 | 6.0 x 12.0 x 6.0 | (152.40 x 304.80 x 152.40) | SS304 | 16ga | 1 |
| H8-6-6SS304-16D1 | 8.0 x 6.0 x 6.0 | (203.20 x 152.40 x 152.40) | SS304 | 16ga | 1 |
| H8-8-6SS304-16D1 | 8.0 x 8.0 x 6.0 | (203.20 x 203.20 x 152.40) | SS304 | 16ga | 1 |
| H8-10-6SS304-16D1 | 8.0 x 10.0 x 6.0 | (203.20 x 254.00 x 152.40) | SS304 | 16ga | 1 |
| H8-12-6SS304-16D1 | 8.0 x 12.0 x 6.0 | (203.20 x 304.80 x 152.40) | SS304 | 16ga | 1 |
| H10-6-6SS304-16D1 | 10.0 x 6.0 x 6.0 | (254.00 x 152.40 x 152.40) | SS304 | 16ga | 1 |
| H10-8-6SS304-16D1 | 10.0 x 8.0 x 6.0 | (254.00 x 203.20 x 152.40) | SS304 | 16ga | 1 |
| H10-10-6SS304-16D1 | 10.0 x 10.0 x 6.0 | (254.00 x 254.00 x 152.40) | SS304 | 16ga | 1 |
| H10-12-6SS304-16D1 | 10.0 x 12.0 x 6.0 | (254.00 x 304.80 x 152.40) | SS304 | 16ga | 1 |
| H12-6-6SS304-16D1 | 12.0 x 6.0 x 6.0 | (304.80 x 152.40 x 152.40) | SS304 | 16ga | 1 |
| H12-8-6SS304-16D1 | 12.0 x 8.0 x 6.0 | (304.80 x 203.20 x 152.40) | SS304 | 16ga | 1 |
| H12-10-6SS304-16D1 | 12.0 x 10.0 x 6.0 | (304.80 x 254.00 x 152.40) | SS304 | 16ga | 1 |
| H12-12-6SS304-16D1 | 12.0 x 12.0 x 6.0 | (304.80 x 304.80 x 152.40) | SS304 | 16ga | 1 |

Painted Steel Control Cabinets

Wall Mount Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E36-30-8MS-14D1-WM | 36.0 x 30.0 x 8.0 | (914.40 x 762.00 x 203.20) | MS | 14ga | 1 |
| E36-32-8MS-14D1-WM | 36.0 x 32.0 x 8.0 | (914.40 x 812.80 x 203.20) | MS | 14ga | 1 |
| E36-36-8MS-12D1-WM | 36.0 x 36.0 x 8.0 | (914.40 x 914.40 x 203.20) | MS | 12ga | 1 |
| E36-40-8MS-12D1-WM | 36.0 x 40.0 x 8.0 | (914.40 x 1,016.00 x 203.20) | MS | 12ga | 1 |
| E48-30-8MS-12D1-WM | 48.0 x 30.0 x 8.0 | (1,219.20 x 762.00 x 203.20) | MS | 12ga | 1 |
| E48-32-8MS-12D1-WM | 48.0 x 32.0 x 8.0 | (1,219.20 x 812.80 x 203.20) | MS | 12ga | 1 |
| E48-36-8MS-12D1-WM | 48.0 x 36.0 x 8.0 | (1,219.20 x 914.40 x 203.20) | MS | 12ga | 1 |
| E48-40-8MS-12D1-WM | 48.0 x 40.0 x 8.0 | (1,219.20 x 1,016.00 x 203.20) | MS | 12ga | 1 |
| E60-30-8MS-12D1-WM | 60.0 x 30.0 x 8.0 | (1,524.00 x 762.00 x 203.20) | MS | 12ga | 1 |
| E60-32-8MS-12D1-WM | 60.0 x 32.0 x 8.0 | (1,524.00 x 812.80 x 203.20) | MS | 12ga | 1 |
| E60-36-8MS-12D1-WM | 60.0 x 36.0 x 8.0 | (1,524.00 x 914.40 x 203.20) | MS | 12ga | 1 |
| E60-40-8MS-12D1-WM | 60.0 x 40.0 x 8.0 | (1,524.00 x 1,016.00 x 203.20) | MS | 12ga | 1 |
| E72-30-8MS-12D1-WM | 72.0 x 30.0 x 8.0 | (1,828.80 x 762.00 x 203.20) | MS | 12ga | 1 |
| E72-32-8MS-12D1-WM | 72.0 x 32.0 x 8.0 | (1,828.80 x 812.80 x 203.20) | MS | 12ga | 1 |
| E72-36-8MS-12D1-WM | 72.0 x 36.0 x 8.0 | (1,828.80 x 914.40 x 203.20) | MS | 12ga | 1 |
| E72-40-8MS-12D1-WM | 72.0 x 40.0 x 8.0 | (1,828.80 x 1,016.00 x 203.20) | MS | 12ga | 1 |
| E36-30-12MS-14D1-WM | 36.0 x 30.0 x 12.0 | (914.40 x 762.00 x 304.80) | MS | 14ga | 1 |
| E36-32-12MS-14D1-WM | 36.0 x 32.0 x 12.0 | (914.40 x 812.80 x 304.80) | MS | 14ga | 1 |
| E36-36-12MS-12D1-WM | 36.0 x 36.0 x 12.0 | (914.40 x 914.40 x 304.80) | MS | 12ga | 1 |
| E36-40-12MS-12D1-WM | 36.0 x 40.0 x 12.0 | (914.40 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E48-30-12MS-12D1-WM | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | MS | 12ga | 1 |
| E48-32-12MS-12D1-WM | 48.0 x 32.0 x 12.0 | (1,219.20 x 812.80 x 304.80) | MS | 12ga | 1 |
| E48-36-12MS-12D1-WM | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | MS | 12ga | 1 |
| E48-40-12MS-12D1-WM | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E60-30-12MS-12D1-WM | 60.0 x 30.0 x 12.0 | (1,524.00 x 762.00 x 304.80) | MS | 12ga | 1 |
| E60-32-12MS-12D1-WM | 60.0 x 32.0 x 12.0 | (1,524.00 x 812.80 x 304.80) | MS | 12ga | 1 |
| E60-36-12MS-12D1-WM | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | MS | 12ga | 1 |
| E60-40-12MS-12D1-WM | 60.0 x 40.0 x 12.0 | (1,524.00 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E72-30-12MS-12D1-WM | 72.0 x 30.0 x 12.0 | (1,828.80 x 762.00 x 304.80) | MS | 12ga | 1 |
| E72-32-12MS-12D1-WM | 72.0 x 32.0 x 12.0 | (1,828.80 x 812.80 x 304.80) | MS | 12ga | 1 |
| E72-36-12MS-12D1-WM | 72.0 x 36.0 x 12.0 | (1,828.80 x 914.40 x 304.80) | MS | 12ga | 1 |
| E72-40-12MS-12D1-WM | 72.0 x 40.0 x 12.0 | (1,828.80 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E36-30-16MS-12D1-WM | 36.0 x 30.0 x 16.0 | (914.40 x 762.00 x 406.40) | MS | 12ga | 1 |
| E36-32-16MS-12D1-WM | 36.0 x 32.0 x 16.0 | (914.40 x 812.80 x 406.40) | MS | 12ga | 1 |
| E36-36-16MS-12D1-WM | 36.0 x 36.0 x 16.0 | (914.40 x 914.40 x 406.40) | MS | 12ga | 1 |
| E36-40-16MS-12D1-WM | 36.0 x 40.0 x 16.0 | (914.40 x 1,016.00 x 406.40) | MS | 12ga | 1 |

| | | | | | |
|---------------------|--------------------|--------------------------------|----|------|---|
| E48-30-16MS-12D1-WM | 48.0 x 30.0 x 16.0 | (1,219.20 x 762.00 x 406.40) | MS | 12ga | 1 |
| E48-32-16MS-12D1-WM | 48.0 x 32.0 x 16.0 | (1,219.20 x 812.80 x 406.40) | MS | 12ga | 1 |
| E48-36-16MS-12D1-WM | 48.0 x 36.0 x 16.0 | (1,219.20 x 914.40 x 406.40) | MS | 12ga | 1 |
| E48-40-16MS-12D1-WM | 48.0 x 40.0 x 16.0 | (1,219.20 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E60-30-16MS-12D1-WM | 60.0 x 30.0 x 16.0 | (1,524.00 x 762.00 x 406.40) | MS | 12ga | 1 |
| E60-32-16MS-12D1-WM | 60.0 x 32.0 x 16.0 | (1,524.00 x 812.80 x 406.40) | MS | 12ga | 1 |
| E60-36-16MS-12D1-WM | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | MS | 12ga | 1 |
| E60-40-16MS-12D1-WM | 60.0 x 40.0 x 16.0 | (1,524.00 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E72-30-16MS-12D1-WM | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | MS | 12ga | 1 |
| E72-32-16MS-12D1-WM | 72.0 x 32.0 x 16.0 | (1,828.80 x 812.80 x 406.40) | MS | 12ga | 1 |
| E72-36-16MS-12D1-WM | 72.0 x 36.0 x 16.0 | (1,828.80 x 914.40 x 406.40) | MS | 12ga | 1 |
| E72-40-16MS-12D1-WM | 72.0 x 40.0 x 16.0 | (1,828.80 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E60-36-16MS-12D1-WM | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | MS | 12ga | 1 |
| E60-40-16MS-12D1-WM | 60.0 x 40.0 x 16.0 | (1,524.00 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E72-30-16MS-12D1-WM | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | MS | 12ga | 1 |
| E72-32-16MS-12D1-WM | 72.0 x 32.0 x 16.0 | (1,828.80 x 812.80 x 406.40) | MS | 12ga | 1 |
| E72-36-16MS-12D1-WM | 72.0 x 36.0 x 16.0 | (1,828.80 x 914.40 x 406.40) | MS | 12ga | 1 |
| E72-40-16MS-12D1-WM | 72.0 x 40.0 x 16.0 | (1,828.80 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E36-30-10MS-12D1-WM | 36.0 x 30.0 x 10.0 | (914.40 x 762.00 x 254.00) | MS | 12ga | 1 |
| E36-36-10MS-12D1-WM | 36.0 x 36.0 x 10.0 | (914.40 x 914.40 x 254.00) | MS | 12ga | 1 |
| E48-30-10MS-12D1-WM | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | MS | 12ga | 1 |
| E48-36-10MS-12D1-WM | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | MS | 12ga | 1 |
| E60-30-10MS-12D1-WM | 60.0 x 30.0 x 10.0 | (1,524.00 x 762.00 x 254.00) | MS | 12ga | 1 |
| E48-32-10MS-12D1-WM | 48.0 x 32.0 x 10.0 | (1,219.20 x 812.80 x 254.00) | MS | 12ga | 1 |
| E60-36-10MS-12D1-WM | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | MS | 12ga | 1 |
| E72-30-10MS-12D1-WM | 72.0 x 30.0 x 10.0 | (1,828.80 x 762.00 x 254.00) | MS | 12ga | 1 |
| E72-36-10MS-12D1-WM | 72.0 x 36.0 x 10.0 | (1,828.80 x 914.40 x 254.00) | MS | 12ga | 1 |
| E72-40-10MS-12D1-WM | 72.0 x 40.0 x 10.0 | (1,828.80 x 1,016.00 x 254.00) | MS | 12ga | 1 |

Painted Steel Control Cabinets

Wall Mount Double Door



| Model # | H x W x D | H x W x D | Metal | | # Doors |
|---------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E36-48-8MS-14D2-WM | 36.0 x 48.0 x 8.0 | (914.40 x 1,219.20 x 203.20) | MS | 14ga | 2 |
| E36-60-8MS-14D2-WM | 36.0 x 60.0 x 8.0 | (914.40 x 1,524.00 x 203.20) | MS | 14ga | 2 |
| E36-72-8MS-14D2-WM | 36.0 x 72.0 x 8.0 | (914.40 x 1,828.80 x 203.20) | MS | 14ga | 2 |
| E48-48-8MS-12D2-WM | 48.0 x 48.0 x 8.0 | (1,219.20 x 1,219.20 x 203.20) | MS | 12ga | 2 |
| E48-60-8MS-12D2-WM | 48.0 x 60.0 x 8.0 | (1,219.20 x 1,524.00 x 203.20) | MS | 12ga | 2 |
| E48-72-8MS-12D2-WM | 48.0 x 72.0 x 8.0 | (1,219.20 x 1,828.80 x 203.20) | MS | 12ga | 2 |
| E60-48-8MS-12D2-WM | 60.0 x 48.0 x 8.0 | (1,524.00 x 1,219.20 x 203.20) | MS | 12ga | 2 |
| E60-60-8MS-12D2-WM | 60.0 x 60.0 x 8.0 | (1,524.00 x 1,524.00 x 203.20) | MS | 12ga | 2 |
| E60-72-8MS-12D2-WM | 60.0 x 72.0 x 8.0 | (1,524.00 x 1,828.80 x 203.20) | MS | 12ga | 2 |
| E36-48-10MS-14D2-WM | 36.0 x 48.0 x 10.0 | (914.40 x 1,219.20 x 254.00) | MS | 14ga | 2 |
| E36-60-10MS-14D2-WM | 36.0 x 60.0 x 10.0 | (914.40 x 1,524.00 x 254.00) | MS | 14ga | 2 |
| E36-72-10MS-14D2-WM | 36.0 x 72.0 x 10.0 | (914.40 x 1,828.80 x 254.00) | MS | 14ga | 2 |
| E48-48-10MS-12D2-WM | 48.0 x 48.0 x 10.0 | (1,219.20 x 1,219.20 x 254.00) | MS | 12ga | 2 |
| E48-60-10MS-12D2-WM | 48.0 x 60.0 x 10.0 | (1,219.20 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E48-72-10MS-12D2-WM | 48.0 x 72.0 x 10.0 | (1,219.20 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E60-48-10MS-12D2-WM | 60.0 x 48.0 x 10.0 | (1,524.00 x 1,219.20 x 254.00) | MS | 12ga | 2 |
| E60-60-10MS-12D2-WM | 60.0 x 60.0 x 10.0 | (1,524.00 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E60-72-10MS-12D2-WM | 60.0 x 72.0 x 10.0 | (1,524.00 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E36-48-12MS-14D2-WM | 36.0 x 48.0 x 12.0 | (914.40 x 1,219.20 x 304.80) | MS | 14ga | 2 |
| E36-60-12MS-14D2-WM | 36.0 x 60.0 x 12.0 | (914.40 x 1,524.00 x 304.80) | MS | 14ga | 2 |
| E36-72-12MS-14D2-WM | 36.0 x 72.0 x 12.0 | (914.40 x 1,828.80 x 304.80) | MS | 14ga | 2 |
| E48-48-12MS-12D2-WM | 48.0 x 48.0 x 12.0 | (1,219.20 x 1,219.20 x 304.80) | MS | 12ga | 2 |
| E48-60-12MS-12D2-WM | 48.0 x 60.0 x 12.0 | (1,219.20 x 1,524.00 x 304.80) | MS | 12ga | 2 |
| E48-72-12MS-12D2-WM | 48.0 x 72.0 x 12.0 | (1,219.20 x 1,828.80 x 304.80) | MS | 12ga | 2 |
| E60-48-12MS-12D2-WM | 60.0 x 48.0 x 12.0 | (1,524.00 x 1,219.20 x 304.80) | MS | 12ga | 2 |
| E60-60-12MS-12D2-WM | 60.0 x 60.0 x 12.0 | (1,524.00 x 1,524.00 x 304.80) | MS | 12ga | 2 |
| E60-72-12MS-12D2-WM | 60.0 x 72.0 x 12.0 | (1,524.00 x 1,828.80 x 304.80) | MS | 12ga | 2 |
| E36-48-14MS-14D2-WM | 36.0 x 48.0 x 14.0 | (914.40 x 1,219.20 x 355.60) | MS | 14ga | 2 |
| E36-60-14MS-14D2-WM | 36.0 x 60.0 x 14.0 | (914.40 x 1,524.00 x 355.60) | MS | 14ga | 2 |
| E36-72-14MS-14D2-WM | 36.0 x 72.0 x 14.0 | (914.40 x 1,828.80 x 355.60) | MS | 14ga | 2 |
| E48-48-14MS-12D2-WM | 48.0 x 48.0 x 14.0 | (1,219.20 x 1,219.20 x 355.60) | MS | 12ga | 2 |
| E48-60-14MS-12D2-WM | 48.0 x 60.0 x 14.0 | (1,219.20 x 1,524.00 x 355.60) | MS | 12ga | 2 |
| E48-72-14MS-12D2-WM | 48.0 x 72.0 x 14.0 | (1,219.20 x 1,828.80 x 355.60) | MS | 12ga | 2 |
| E60-48-14MS-12D2-WM | 60.0 x 48.0 x 14.0 | (1,524.00 x 1,219.20 x 355.60) | MS | 12ga | 2 |
| E60-60-14MS-12D2-WM | 60.0 x 60.0 x 14.0 | (1,524.00 x 1,524.00 x 355.60) | MS | 12ga | 2 |
| E60-72-14MS-12D2-WM | 60.0 x 72.0 x 14.0 | (1,524.00 x 1,828.80 x 355.60) | MS | 12ga | 2 |

| | | | | | |
|---------------------|--------------------|--------------------------------|----|------|---|
| E36-48-16MS-14D2-WM | 36.0 x 48.0 x 16.0 | (914.40 x 1,219.20 x 406.40) | MS | 14ga | 2 |
| E36-60-16MS-14D2-WM | 36.0 x 60.0 x 16.0 | (914.40 x 1,524.00 x 406.40) | MS | 14ga | 2 |
| E36-72-16MS-14D2-WM | 36.0 x 72.0 x 16.0 | (914.40 x 1,828.80 x 406.40) | MS | 14ga | 2 |
| E48-48-16MS-12D2-WM | 48.0 x 48.0 x 16.0 | (1,219.20 x 1,219.20 x 406.40) | MS | 12ga | 2 |
| E48-60-16MS-12D2-WM | 48.0 x 60.0 x 16.0 | (1,219.20 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E48-72-16MS-12D2-WM | 48.0 x 72.0 x 16.0 | (1,219.20 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E48-48-20MS-12D2-WM | 48.0 x 48.0 x 20.0 | (1,219.20 x 1,219.20 x 508.00) | MS | 12ga | 2 |
| E48-60-20MS-12D2-WM | 48.0 x 60.0 x 20.0 | (1,219.20 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E48-72-20MS-12D2-WM | 48.0 x 72.0 x 20.0 | (1,219.20 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E60-48-20MS-12D2-WM | 60.0 x 48.0 x 20.0 | (1,524.00 x 1,219.20 x 508.00) | MS | 12ga | 2 |
| E60-60-20MS-12D2-WM | 60.0 x 60.0 x 20.0 | (1,524.00 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E60-72-20MS-12D2-WM | 60.0 x 72.0 x 20.0 | (1,524.00 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E60-60-24MS-12D2-WM | 60.0 x 60.0 x 24.0 | (1,524.00 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E60-72-24MS-12D2-WM | 60.0 x 72.0 x 24.0 | (1,524.00 x 1,828.80 x 609.60) | MS | 12ga | 2 |

Painted Steel Control Cabinets

Wall Mount with Sloped Top Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-30-10MS-12D1-FM,ST | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | MS | 12ga | 1 |
| E48-32-10MS-12D1-FM,ST | 48.0 x 32.0 x 10.0 | (1,219.20 x 812.80 x 254.00) | MS | 12ga | 1 |
| E48-36-10MS-12D1-FM,ST | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | MS | 12ga | 1 |
| E48-38-10MS-12D1-FM,ST | 48.0 x 38.0 x 10.0 | (1,219.20 x 965.20 x 254.00) | MS | 12ga | 1 |
| E48-40-10MS-12D1-FM,ST | 48.0 x 40.0 x 10.0 | (1,219.20 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E60-30-10MS-12D1-FM,ST | 60.0 x 30.0 x 10.0 | (1,524.00 x 762.00 x 254.00) | MS | 12ga | 1 |
| E60-32-10MS-12D1-FM,ST | 60.0 x 32.0 x 10.0 | (1,524.00 x 812.80 x 254.00) | MS | 12ga | 1 |
| E60-36-10MS-12D1-FM,ST | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | MS | 12ga | 1 |
| E60-38-10MS-12D1-FM,ST | 60.0 x 38.0 x 10.0 | (1,524.00 x 965.20 x 254.00) | MS | 12ga | 1 |
| E60-40-10MS-12D1-FM,ST | 60.0 x 40.0 x 10.0 | (1,524.00 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E72-30-10MS-12D1-FM,ST | 72.0 x 30.0 x 10.0 | (1,828.80 x 762.00 x 254.00) | MS | 12ga | 1 |
| E72-32-10MS-12D1-FM,ST | 72.0 x 32.0 x 10.0 | (1,828.80 x 812.80 x 254.00) | MS | 12ga | 1 |
| E72-36-10MS-12D1-FM,ST | 72.0 x 36.0 x 10.0 | (1,828.80 x 914.40 x 254.00) | MS | 12ga | 1 |
| E72-38-10MS-12D1-FM,ST | 72.0 x 38.0 x 10.0 | (1,828.80 x 965.20 x 254.00) | MS | 12ga | 1 |
| E72-40-10MS-12D1-FM,ST | 72.0 x 40.0 x 10.0 | (1,828.80 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E90-30-10MS-12D1-FM,ST | 90.0 x 30.0 x 10.0 | (2,286.00 x 762.00 x 254.00) | MS | 12ga | 1 |
| E90-32-10MS-12D1-FM,ST | 90.0 x 32.0 x 10.0 | (2,286.00 x 812.80 x 254.00) | MS | 12ga | 1 |
| E90-36-10MS-12D1-FM,ST | 90.0 x 36.0 x 10.0 | (2,286.00 x 914.40 x 254.00) | MS | 12ga | 1 |
| E90-38-10MS-12D1-FM,ST | 90.0 x 38.0 x 10.0 | (2,286.00 x 965.20 x 254.00) | MS | 12ga | 1 |
| E90-40-10MS-12D1-FM,ST | 90.0 x 40.0 x 10.0 | (2,286.00 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E48-30-12MS-12D1-FM,ST | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | MS | 12ga | 1 |
| E48-32-12MS-12D1-FM,ST | 48.0 x 32.0 x 12.0 | (1,219.20 x 812.80 x 304.80) | MS | 12ga | 1 |
| E48-36-12MS-12D1-FM,ST | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | MS | 12ga | 1 |
| E48-38-12MS-12D1-FM,ST | 48.0 x 38.0 x 12.0 | (1,219.20 x 965.20 x 304.80) | MS | 12ga | 1 |
| E48-40-12MS-12D1-FM,ST | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E60-30-12MS-12D1-FM,ST | 60.0 x 30.0 x 12.0 | (1,524.00 x 762.00 x 304.80) | MS | 12ga | 1 |
| E60-32-12MS-12D1-FM,ST | 60.0 x 32.0 x 12.0 | (1,524.00 x 812.80 x 304.80) | MS | 12ga | 1 |
| E60-36-12MS-12D1-FM,ST | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | MS | 12ga | 1 |
| E60-38-12MS-12D1-FM,ST | 60.0 x 38.0 x 12.0 | (1,524.00 x 965.20 x 304.80) | MS | 12ga | 1 |
| E60-40-12MS-12D1-FM,ST | 60.0 x 40.0 x 12.0 | (1,524.00 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E72-30-12MS-12D1-FM,ST | 72.0 x 30.0 x 12.0 | (1,828.80 x 762.00 x 304.80) | MS | 12ga | 1 |
| E72-32-12MS-12D1-FM,ST | 72.0 x 32.0 x 12.0 | (1,828.80 x 812.80 x 304.80) | MS | 12ga | 1 |
| E72-36-12MS-12D1-FM,ST | 72.0 x 36.0 x 12.0 | (1,828.80 x 914.40 x 304.80) | MS | 12ga | 1 |
| E72-38-12MS-12D1-FM,ST | 72.0 x 38.0 x 12.0 | (1,828.80 x 965.20 x 304.80) | MS | 12ga | 1 |
| E72-40-12MS-12D1-FM,ST | 72.0 x 40.0 x 12.0 | (1,828.80 x 1,016.00 x 304.80) | MS | 12ga | 1 |

| | | | | | |
|------------------------|--------------------|--------------------------------|----|------|---|
| E90-30-12MS-12D1-FM,ST | 90.0 x 30.0 x 12.0 | (2,286.00 x 762.00 x 304.80) | MS | 12ga | 1 |
| E90-32-12MS-12D1-FM,ST | 90.0 x 32.0 x 12.0 | (2,286.00 x 812.80 x 304.80) | MS | 12ga | 1 |
| E90-36-12MS-12D1-FM,ST | 90.0 x 36.0 x 12.0 | (2,286.00 x 914.40 x 304.80) | MS | 12ga | 1 |
| E90-38-12MS-12D1-FM,ST | 90.0 x 38.0 x 12.0 | (2,286.00 x 965.20 x 304.80) | MS | 12ga | 1 |
| E90-40-12MS-12D1-FM,ST | 90.0 x 40.0 x 12.0 | (2,286.00 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E36-30-16MS-12D1-FM,ST | 36.0 x 30.0 x 16.0 | (914.40 x 762.00 x 406.40) | MS | 12ga | 1 |
| E36-32-16MS-12D1-FM,ST | 36.0 x 32.0 x 16.0 | (914.40 x 812.80 x 406.40) | MS | 12ga | 1 |
| E36-36-16MS-12D1-FM,ST | 36.0 x 36.0 x 16.0 | (914.40 x 914.40 x 406.40) | MS | 12ga | 1 |
| E36-40-16MS-12D1-FM,ST | 36.0 x 40.0 x 16.0 | (914.40 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E48-30-16MS-12D1-FM,ST | 48.0 x 30.0 x 16.0 | (1,219.20 x 762.00 x 406.40) | MS | 12ga | 1 |
| E48-32-16MS-12D1-FM,ST | 48.0 x 32.0 x 16.0 | (1,219.20 x 812.80 x 406.40) | MS | 12ga | 1 |
| E48-36-16MS-12D1-FM,ST | 48.0 x 36.0 x 16.0 | (1,219.20 x 914.40 x 406.40) | MS | 12ga | 1 |
| E48-40-16MS-12D1-FM,ST | 48.0 x 40.0 x 16.0 | (1,219.20 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E60-30-16MS-12D1-FM,ST | 60.0 x 30.0 x 16.0 | (1,524.00 x 762.00 x 406.40) | MS | 12ga | 1 |
| E60-32-16MS-12D1-FM,ST | 60.0 x 32.0 x 16.0 | (1,524.00 x 812.80 x 406.40) | MS | 12ga | 1 |
| E60-36-16MS-12D1-FM,ST | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | MS | 12ga | 1 |
| E60-40-16MS-12D1-FM,ST | 60.0 x 40.0 x 16.0 | (1,524.00 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E72-30-16MS-12D1-FM,ST | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | MS | 12ga | 1 |
| E72-32-16MS-12D1-FM,ST | 72.0 x 32.0 x 16.0 | (1,828.80 x 812.80 x 406.40) | MS | 12ga | 1 |
| E72-36-16MS-12D1-FM,ST | 72.0 x 36.0 x 16.0 | (1,828.80 x 914.40 x 406.40) | MS | 12ga | 1 |
| E72-40-16MS-12D1-FM,ST | 72.0 x 40.0 x 16.0 | (1,828.80 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E72-30-16MS-12D1-FM,ST | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | MS | 12ga | 1 |
| E90-30-16MS-12D1-FM,ST | 90.0 x 30.0 x 16.0 | (2,286.00 x 762.00 x 406.40) | MS | 12ga | 1 |
| E90-32-16MS-12D1-FM,ST | 90.0 x 32.0 x 16.0 | (2,286.00 x 812.80 x 406.40) | MS | 12ga | 1 |
| E90-36-16MS-12D1-FM,ST | 90.0 x 36.0 x 16.0 | (2,286.00 x 914.40 x 406.40) | MS | 12ga | 1 |
| E90-38-16MS-12D1-FM,ST | 90.0 x 38.0 x 16.0 | (2,286.00 x 965.20 x 406.40) | MS | 12ga | 1 |
| E90-40-16MS-12D1-FM,ST | 90.0 x 40.0 x 16.0 | (2,286.00 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E60-30-20MS-12D1-FM,ST | 60.0 x 30.0 x 20.0 | (1,524.00 x 762.00 x 508.00) | MS | 12ga | 1 |
| E60-32-20MS-12D1-FM,ST | 60.0 x 32.0 x 20.0 | (1,524.00 x 812.80 x 508.00) | MS | 12ga | 1 |
| E60-36-20MS-12D1-FM,ST | 60.0 x 36.0 x 20.0 | (1,524.00 x 914.40 x 508.00) | MS | 12ga | 1 |
| E60-40-20MS-12D1-FM,ST | 60.0 x 40.0 x 20.0 | (1,524.00 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-20MS-12D1-FM,ST | 72.0 x 30.0 x 20.0 | (1,828.80 x 762.00 x 508.00) | MS | 12ga | 1 |
| E72-32-20MS-12D1-FM,ST | 72.0 x 32.0 x 20.0 | (1,828.80 x 812.80 x 508.00) | MS | 12ga | 1 |
| E72-36-20MS-12D1-FM,ST | 72.0 x 36.0 x 20.0 | (1,828.80 x 914.40 x 508.00) | MS | 12ga | 1 |
| E72-40-20MS-12D1-FM,ST | 72.0 x 40.0 x 20.0 | (1,828.80 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-20MS-12D1-FM,ST | 72.0 x 30.0 x 20.0 | (1,828.80 x 762.00 x 508.00) | MS | 12ga | 1 |
| E90-30-20MS-12D1-FM,ST | 90.0 x 30.0 x 20.0 | (2,286.00 x 762.00 x 508.00) | MS | 12ga | 1 |
| E90-32-20MS-12D1-FM,ST | 90.0 x 32.0 x 20.0 | (2,286.00 x 812.80 x 508.00) | MS | 12ga | 1 |
| E90-36-20MS-12D1-FM,ST | 90.0 x 36.0 x 20.0 | (2,286.00 x 914.40 x 508.00) | MS | 12ga | 1 |
| E90-38-20MS-12D1-FM,ST | 90.0 x 38.0 x 20.0 | (2,286.00 x 965.20 x 508.00) | MS | 12ga | 1 |
| E90-40-20MS-12D1-FM,ST | 90.0 x 40.0 x 20.0 | (2,286.00 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-24MS-12D1-FM,ST | 72.0 x 30.0 x 24.0 | (1,828.80 x 762.00 x 609.60) | MS | 12ga | 1 |
| E72-32-24MS-12D1-FM,ST | 72.0 x 32.0 x 24.0 | (1,828.80 x 812.80 x 609.60) | MS | 12ga | 1 |
| E72-36-24MS-12D1-FM,ST | 72.0 x 36.0 x 24.0 | (1,828.80 x 914.40 x 609.60) | MS | 12ga | 1 |
| E72-40-24MS-12D1-FM,ST | 72.0 x 40.0 x 24.0 | (1,828.80 x 1,016.00 x 609.60) | MS | 12ga | 1 |
| E72-30-24MS-12D1-FM,ST | 72.0 x 30.0 x 24.0 | (1,828.80 x 762.00 x 609.60) | MS | 12ga | 1 |
| E90-30-24MS-12D1-FM,ST | 90.0 x 30.0 x 24.0 | (2,286.00 x 762.00 x 609.60) | MS | 12ga | 1 |
| E90-32-24MS-12D1-FM,ST | 90.0 x 32.0 x 24.0 | (2,286.00 x 812.80 x 609.60) | MS | 12ga | 1 |
| E90-36-24MS-12D1-FM,ST | 90.0 x 36.0 x 24.0 | (2,286.00 x 914.40 x 609.60) | MS | 12ga | 1 |
| E90-38-24MS-12D1-FM,ST | 90.0 x 38.0 x 24.0 | (2,286.00 x 965.20 x 609.60) | MS | 12ga | 1 |
| E90-40-24MS-12D1-FM,ST | 90.0 x 40.0 x 24.0 | (2,286.00 x 1,016.00 x 609.60) | MS | 12ga | 1 |

Painted Steel Control Cabinets

Wall Mount with Sloped Top Double Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E36-48-8MS-14D2-WM,ST | 36.0 x 48.0 x 8.0 | (914.40 x 1,219.20 x 203.20) | MS | 14ga | 2 |
| E36-60-8MS-14D2-WM,ST | 36.0 x 60.0 x 8.0 | (914.40 x 1,524.00 x 203.20) | MS | 14ga | 2 |
| E36-72-8MS-14D2-WM,ST | 36.0 x 72.0 x 8.0 | (914.40 x 1,828.80 x 203.20) | MS | 14ga | 2 |
| E48-48-8MS-12D2-WM,ST | 48.0 x 48.0 x 8.0 | (1,219.20 x 1,219.20 x 203.20) | MS | 12ga | 2 |
| E48-60-8MS-12D2-WM,ST | 48.0 x 60.0 x 8.0 | (1,219.20 x 1,524.00 x 203.20) | MS | 12ga | 2 |
| E48-72-8MS-12D2-WM,ST | 48.0 x 72.0 x 8.0 | (1,219.20 x 1,828.80 x 203.20) | MS | 12ga | 2 |
| E60-48-8MS-12D2-WM,ST | 60.0 x 48.0 x 8.0 | (1,524.00 x 1,219.20 x 203.20) | MS | 12ga | 2 |
| E60-60-8MS-12D2-WM,ST | 60.0 x 60.0 x 8.0 | (1,524.00 x 1,524.00 x 203.20) | MS | 12ga | 2 |
| E60-72-8MS-12D2-WM,ST | 60.0 x 72.0 x 8.0 | (1,524.00 x 1,828.80 x 203.20) | MS | 12ga | 2 |
| E36-48-10MS-14D2-WM,ST | 36.0 x 48.0 x 10.0 | (914.40 x 1,219.20 x 254.00) | MS | 14ga | 2 |
| E36-60-10MS-14D2-WM,ST | 36.0 x 60.0 x 10.0 | (914.40 x 1,524.00 x 254.00) | MS | 14ga | 2 |
| E36-72-10MS-14D2-WM,ST | 36.0 x 72.0 x 10.0 | (914.40 x 1,828.80 x 254.00) | MS | 14ga | 2 |
| E48-48-10MS-12D2-WM,ST | 48.0 x 48.0 x 10.0 | (1,219.20 x 1,219.20 x 254.00) | MS | 12ga | 2 |
| E48-60-10MS-12D2-WM,ST | 48.0 x 60.0 x 10.0 | (1,219.20 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E48-72-10MS-12D2-WM,ST | 48.0 x 72.0 x 10.0 | (1,219.20 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E60-48-10MS-12D2-WM,ST | 60.0 x 48.0 x 10.0 | (1,524.00 x 1,219.20 x 254.00) | MS | 12ga | 2 |
| E60-60-10MS-12D2-WM,ST | 60.0 x 60.0 x 10.0 | (1,524.00 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E60-72-10MS-12D2-WM,ST | 60.0 x 72.0 x 10.0 | (1,524.00 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E36-48-12MS-14D2-WM,ST | 36.0 x 48.0 x 12.0 | (914.40 x 1,219.20 x 304.80) | MS | 14ga | 2 |
| E36-60-12MS-14D2-WM,ST | 36.0 x 60.0 x 12.0 | (914.40 x 1,524.00 x 304.80) | MS | 14ga | 2 |
| E36-72-12MS-14D2-WM,ST | 36.0 x 72.0 x 12.0 | (914.40 x 1,828.80 x 304.80) | MS | 14ga | 2 |
| E48-48-12MS-12D2-WM,ST | 48.0 x 48.0 x 12.0 | (1,219.20 x 1,219.20 x 304.80) | MS | 12ga | 2 |
| E48-60-12MS-12D2-WM,ST | 48.0 x 60.0 x 12.0 | (1,219.20 x 1,524.00 x 304.80) | MS | 12ga | 2 |
| E48-72-12MS-12D2-WM,ST | 48.0 x 72.0 x 12.0 | (1,219.20 x 1,828.80 x 304.80) | MS | 12ga | 2 |
| E60-48-12MS-12D2-WM,ST | 60.0 x 48.0 x 12.0 | (1,524.00 x 1,219.20 x 304.80) | MS | 12ga | 2 |
| E60-60-12MS-12D2-WM,ST | 60.0 x 60.0 x 12.0 | (1,524.00 x 1,524.00 x 304.80) | MS | 12ga | 2 |
| E60-72-12MS-12D2-WM,ST | 60.0 x 72.0 x 12.0 | (1,524.00 x 1,828.80 x 304.80) | MS | 12ga | 2 |
| E36-48-14MS-14D2-WM,ST | 36.0 x 48.0 x 14.0 | (914.40 x 1,219.20 x 355.60) | MS | 14ga | 2 |
| E36-60-14MS-14D2-WM,ST | 36.0 x 60.0 x 14.0 | (914.40 x 1,524.00 x 355.60) | MS | 14ga | 2 |
| E36-72-14MS-14D2-WM,ST | 36.0 x 72.0 x 14.0 | (914.40 x 1,828.80 x 355.60) | MS | 14ga | 2 |
| E48-48-14MS-12D2-WM,ST | 48.0 x 48.0 x 14.0 | (1,219.20 x 1,219.20 x 355.60) | MS | 12ga | 2 |
| E48-60-14MS-12D2-WM,ST | 48.0 x 60.0 x 14.0 | (1,219.20 x 1,524.00 x 355.60) | MS | 12ga | 2 |
| E48-72-14MS-12D2-WM,ST | 48.0 x 72.0 x 14.0 | (1,219.20 x 1,828.80 x 355.60) | MS | 12ga | 2 |
| E60-48-14MS-12D2-WM,ST | 60.0 x 48.0 x 14.0 | (1,524.00 x 1,219.20 x 355.60) | MS | 12ga | 2 |
| E60-60-14MS-12D2-WM,ST | 60.0 x 60.0 x 14.0 | (1,524.00 x 1,524.00 x 355.60) | MS | 12ga | 2 |

| | | | | | |
|------------------------|--------------------|--------------------------------|----|------|---|
| E60-72-14MS-12D2-WM,ST | 60.0 x 72.0 x 14.0 | (1,524.00 x 1,828.80 x 355.60) | MS | 12ga | 2 |
| E36-48-16MS-14D2-WM,ST | 36.0 x 48.0 x 16.0 | (914.40 x 1,219.20 x 406.40) | MS | 14ga | 2 |
| E36-60-16MS-14D2-WM,ST | 36.0 x 60.0 x 16.0 | (914.40 x 1,524.00 x 406.40) | MS | 14ga | 2 |
| E36-72-16MS-14D2-WM,ST | 36.0 x 72.0 x 16.0 | (914.40 x 1,828.80 x 406.40) | MS | 14ga | 2 |
| E48-48-16MS-12D2-WM,ST | 48.0 x 48.0 x 16.0 | (1,219.20 x 1,219.20 x 406.40) | MS | 12ga | 2 |
| E48-60-16MS-12D2-WM,ST | 48.0 x 60.0 x 16.0 | (1,219.20 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E48-72-16MS-12D2-WM,ST | 48.0 x 72.0 x 16.0 | (1,219.20 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E48-48-20MS-12D2-WM,ST | 48.0 x 48.0 x 20.0 | (1,219.20 x 1,219.20 x 508.00) | MS | 12ga | 2 |
| E48-60-20MS-12D2-WM,ST | 48.0 x 60.0 x 20.0 | (1,219.20 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E48-72-20MS-12D2-WM,ST | 48.0 x 72.0 x 20.0 | (1,219.20 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E60-48-20MS-12D2-WM,ST | 60.0 x 48.0 x 20.0 | (1,524.00 x 1,219.20 x 508.00) | MS | 12ga | 2 |
| E60-60-20MS-12D2-WM,ST | 60.0 x 60.0 x 20.0 | (1,524.00 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E60-72-20MS-12D2-WM,ST | 60.0 x 72.0 x 20.0 | (1,524.00 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E60-60-24MS-12D2-WM,ST | 60.0 x 60.0 x 24.0 | (1,524.00 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E60-72-24MS-12D2-WM,ST | 60.0 x 72.0 x 24.0 | (1,524.00 x 1,828.80 x 609.60) | MS | 12ga | 2 |

Painted Steel Control Cabinets

Floor Mount Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-30-10MS-12D1-FM | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | MS | 12ga | 1 |
| E48-32-10MS-12D1-FM | 48.0 x 32.0 x 10.0 | (1,219.20 x 812.80 x 254.00) | MS | 12ga | 1 |
| E48-36-10MS-12D1-FM | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | MS | 12ga | 1 |
| E48-38-10MS-12D1-FM | 48.0 x 38.0 x 10.0 | (1,219.20 x 965.20 x 254.00) | MS | 12ga | 1 |
| E48-40-10MS-12D1-FM | 48.0 x 40.0 x 10.0 | (1,219.20 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E60-30-10MS-12D1-FM | 60.0 x 30.0 x 10.0 | (1,524.00 x 762.00 x 254.00) | MS | 12ga | 1 |
| E60-32-10MS-12D1-FM | 60.0 x 32.0 x 10.0 | (1,524.00 x 812.80 x 254.00) | MS | 12ga | 1 |
| E60-36-10MS-12D1-FM | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | MS | 12ga | 1 |
| E60-38-10MS-12D1-FM | 60.0 x 38.0 x 10.0 | (1,524.00 x 965.20 x 254.00) | MS | 12ga | 1 |
| E60-40-10MS-12D1-FM | 60.0 x 40.0 x 10.0 | (1,524.00 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E72-30-10MS-12D1-FM | 72.0 x 30.0 x 10.0 | (1,828.80 x 762.00 x 254.00) | MS | 12ga | 1 |
| E72-32-10MS-12D1-FM | 72.0 x 32.0 x 10.0 | (1,828.80 x 812.80 x 254.00) | MS | 12ga | 1 |
| E72-36-10MS-12D1-FM | 72.0 x 36.0 x 10.0 | (1,828.80 x 914.40 x 254.00) | MS | 12ga | 1 |
| E72-38-10MS-12D1-FM | 72.0 x 38.0 x 10.0 | (1,828.80 x 965.20 x 254.00) | MS | 12ga | 1 |
| E72-40-10MS-12D1-FM | 72.0 x 40.0 x 10.0 | (1,828.80 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E90-30-10MS-12D1-FM | 90.0 x 30.0 x 10.0 | (2,286.00 x 762.00 x 254.00) | MS | 12ga | 1 |
| E90-32-10MS-12D1-FM | 90.0 x 32.0 x 10.0 | (2,286.00 x 812.80 x 254.00) | MS | 12ga | 1 |
| E90-36-10MS-12D1-FM | 90.0 x 36.0 x 10.0 | (2,286.00 x 914.40 x 254.00) | MS | 12ga | 1 |
| E90-38-10MS-12D1-FM | 90.0 x 38.0 x 10.0 | (2,286.00 x 965.20 x 254.00) | MS | 12ga | 1 |
| E90-40-10MS-12D1-FM | 90.0 x 40.0 x 10.0 | (2,286.00 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E48-30-12MS-12D1-FM | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | MS | 12ga | 1 |
| E48-32-12MS-12D1-FM | 48.0 x 32.0 x 12.0 | (1,219.20 x 812.80 x 304.80) | MS | 12ga | 1 |
| E48-36-12MS-12D1-FM | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | MS | 12ga | 1 |
| E48-38-12MS-12D1-FM | 48.0 x 38.0 x 12.0 | (1,219.20 x 965.20 x 304.80) | MS | 12ga | 1 |
| E48-40-12MS-12D1-FM | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E60-30-12MS-12D1-FM | 60.0 x 30.0 x 12.0 | (1,524.00 x 762.00 x 304.80) | MS | 12ga | 1 |
| E60-32-12MS-12D1-FM | 60.0 x 32.0 x 12.0 | (1,524.00 x 812.80 x 304.80) | MS | 12ga | 1 |
| E60-36-12MS-12D1-FM | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | MS | 12ga | 1 |
| E60-38-12MS-12D1-FM | 60.0 x 38.0 x 12.0 | (1,524.00 x 965.20 x 304.80) | MS | 12ga | 1 |
| E60-40-12MS-12D1-FM | 60.0 x 40.0 x 12.0 | (1,524.00 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E72-30-12MS-12D1-FM | 72.0 x 30.0 x 12.0 | (1,828.80 x 762.00 x 304.80) | MS | 12ga | 1 |
| E72-32-12MS-12D1-FM | 72.0 x 32.0 x 12.0 | (1,828.80 x 812.80 x 304.80) | MS | 12ga | 1 |
| E72-36-12MS-12D1-FM | 72.0 x 36.0 x 12.0 | (1,828.80 x 914.40 x 304.80) | MS | 12ga | 1 |
| E72-38-12MS-12D1-FM | 72.0 x 38.0 x 12.0 | (1,828.80 x 965.20 x 304.80) | MS | 12ga | 1 |
| E72-40-12MS-12D1-FM | 72.0 x 40.0 x 12.0 | (1,828.80 x 1,016.00 x 304.80) | MS | 12ga | 1 |

| | | | | | |
|---------------------|--------------------|--------------------------------|----|------|---|
| E90-30-12MS-12D1-FM | 90.0 x 30.0 x 12.0 | (2,286.00 x 762.00 x 304.80) | MS | 12ga | 1 |
| E90-32-12MS-12D1-FM | 90.0 x 32.0 x 12.0 | (2,286.00 x 812.80 x 304.80) | MS | 12ga | 1 |
| E90-36-12MS-12D1-FM | 90.0 x 36.0 x 12.0 | (2,286.00 x 914.40 x 304.80) | MS | 12ga | 1 |
| E90-38-12MS-12D1-FM | 90.0 x 38.0 x 12.0 | (2,286.00 x 965.20 x 304.80) | MS | 12ga | 1 |
| E90-40-12MS-12D1-FM | 90.0 x 40.0 x 12.0 | (2,286.00 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E36-30-16MS-12D1-FM | 36.0 x 30.0 x 16.0 | (914.40 x 762.00 x 406.40) | MS | 12ga | 1 |
| E36-32-16MS-12D1-FM | 36.0 x 32.0 x 16.0 | (914.40 x 812.80 x 406.40) | MS | 12ga | 1 |
| E36-36-16MS-12D1-FM | 36.0 x 36.0 x 16.0 | (914.40 x 914.40 x 406.40) | MS | 12ga | 1 |
| E36-40-16MS-12D1-FM | 36.0 x 40.0 x 16.0 | (914.40 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E48-30-16MS-12D1-FM | 48.0 x 30.0 x 16.0 | (1,219.20 x 762.00 x 406.40) | MS | 12ga | 1 |
| E48-32-16MS-12D1-FM | 48.0 x 32.0 x 16.0 | (1,219.20 x 812.80 x 406.40) | MS | 12ga | 1 |
| E48-36-16MS-12D1-FM | 48.0 x 36.0 x 16.0 | (1,219.20 x 914.40 x 406.40) | MS | 12ga | 1 |
| E48-40-16MS-12D1-FM | 48.0 x 40.0 x 16.0 | (1,219.20 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E60-30-16MS-12D1-FM | 60.0 x 30.0 x 16.0 | (1,524.00 x 762.00 x 406.40) | MS | 12ga | 1 |
| E60-32-16MS-12D1-FM | 60.0 x 32.0 x 16.0 | (1,524.00 x 812.80 x 406.40) | MS | 12ga | 1 |
| E60-36-16MS-12D1-FM | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | MS | 12ga | 1 |
| E60-40-16MS-12D1-FM | 60.0 x 40.0 x 16.0 | (1,524.00 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E72-30-16MS-12D1-FM | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | MS | 12ga | 1 |
| E72-32-16MS-12D1-FM | 72.0 x 32.0 x 16.0 | (1,828.80 x 812.80 x 406.40) | MS | 12ga | 1 |
| E72-36-16MS-12D1-FM | 72.0 x 36.0 x 16.0 | (1,828.80 x 914.40 x 406.40) | MS | 12ga | 1 |
| E72-40-16MS-12D1-FM | 72.0 x 40.0 x 16.0 | (1,828.80 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E72-30-16MS-12D1-FM | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | MS | 12ga | 1 |
| E90-30-16MS-12D1-FM | 90.0 x 30.0 x 16.0 | (2,286.00 x 762.00 x 406.40) | MS | 12ga | 1 |
| E90-32-16MS-12D1-FM | 90.0 x 32.0 x 16.0 | (2,286.00 x 812.80 x 406.40) | MS | 12ga | 1 |
| E90-36-16MS-12D1-FM | 90.0 x 36.0 x 16.0 | (2,286.00 x 914.40 x 406.40) | MS | 12ga | 1 |
| E90-38-16MS-12D1-FM | 90.0 x 38.0 x 16.0 | (2,286.00 x 965.20 x 406.40) | MS | 12ga | 1 |
| E90-40-16MS-12D1-FM | 90.0 x 40.0 x 16.0 | (2,286.00 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E60-30-20MS-12D1-FM | 60.0 x 30.0 x 20.0 | (1,524.00 x 762.00 x 508.00) | MS | 12ga | 1 |
| E60-32-20MS-12D1-FM | 60.0 x 32.0 x 20.0 | (1,524.00 x 812.80 x 508.00) | MS | 12ga | 1 |
| E60-36-20MS-12D1-FM | 60.0 x 36.0 x 20.0 | (1,524.00 x 914.40 x 508.00) | MS | 12ga | 1 |
| E60-40-20MS-12D1-FM | 60.0 x 40.0 x 20.0 | (1,524.00 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-20MS-12D1-FM | 72.0 x 30.0 x 20.0 | (1,828.80 x 762.00 x 508.00) | MS | 12ga | 1 |
| E72-32-20MS-12D1-FM | 72.0 x 32.0 x 20.0 | (1,828.80 x 812.80 x 508.00) | MS | 12ga | 1 |
| E72-36-20MS-12D1-FM | 72.0 x 36.0 x 20.0 | (1,828.80 x 914.40 x 508.00) | MS | 12ga | 1 |
| E72-40-20MS-12D1-FM | 72.0 x 40.0 x 20.0 | (1,828.80 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-20MS-12D1-FM | 72.0 x 30.0 x 20.0 | (1,828.80 x 762.00 x 508.00) | MS | 12ga | 1 |
| E90-30-20MS-12D1-FM | 90.0 x 30.0 x 20.0 | (2,286.00 x 762.00 x 508.00) | MS | 12ga | 1 |
| E90-32-20MS-12D1-FM | 90.0 x 32.0 x 20.0 | (2,286.00 x 812.80 x 508.00) | MS | 12ga | 1 |
| E90-36-20MS-12D1-FM | 90.0 x 36.0 x 20.0 | (2,286.00 x 914.40 x 508.00) | MS | 12ga | 1 |
| E90-38-20MS-12D1-FM | 90.0 x 38.0 x 20.0 | (2,286.00 x 965.20 x 508.00) | MS | 12ga | 1 |
| E90-40-20MS-12D1-FM | 90.0 x 40.0 x 20.0 | (2,286.00 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-24MS-12D1-FM | 72.0 x 30.0 x 24.0 | (1,828.80 x 762.00 x 609.60) | MS | 12ga | 1 |
| E72-32-24MS-12D1-FM | 72.0 x 32.0 x 24.0 | (1,828.80 x 812.80 x 609.60) | MS | 12ga | 1 |
| E72-36-24MS-12D1-FM | 72.0 x 36.0 x 24.0 | (1,828.80 x 914.40 x 609.60) | MS | 12ga | 1 |
| E72-40-24MS-12D1-FM | 72.0 x 40.0 x 24.0 | (1,828.80 x 1,016.00 x 609.60) | MS | 12ga | 1 |
| E72-30-24MS-12D1-FM | 72.0 x 30.0 x 24.0 | (1,828.80 x 762.00 x 609.60) | MS | 12ga | 1 |
| E90-30-24MS-12D1-FM | 90.0 x 30.0 x 24.0 | (2,286.00 x 762.00 x 609.60) | MS | 12ga | 1 |
| E90-32-24MS-12D1-FM | 90.0 x 32.0 x 24.0 | (2,286.00 x 812.80 x 609.60) | MS | 12ga | 1 |
| E90-36-24MS-12D1-FM | 90.0 x 36.0 x 24.0 | (2,286.00 x 914.40 x 609.60) | MS | 12ga | 1 |
| E90-38-24MS-12D1-FM | 90.0 x 38.0 x 24.0 | (2,286.00 x 965.20 x 609.60) | MS | 12ga | 1 |
| E90-40-24MS-12D1-FM | 90.0 x 40.0 x 24.0 | (2,286.00 x 1,016.00 x 609.60) | MS | 12ga | 1 |

Painted Steel Control Cabinets

Floor Mount Double Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|---------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-60-10MS-12D2-FM | 48.0 x 60.0 x 10.0 | (1,219.20 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E48-72-10MS-12D2-FM | 48.0 x 72.0 x 10.0 | (1,219.20 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E60-60-10MS-12D2-FM | 60.0 x 60.0 x 10.0 | (1,524.00 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E60-72-10MS-12D2-FM | 60.0 x 72.0 x 10.0 | (1,524.00 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E72-60-10MS-12D2-FM | 72.0 x 60.0 x 10.0 | (1,828.80 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E72-72-10MS-12D2-FM | 72.0 x 72.0 x 10.0 | (1,828.80 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E90-60-10MS-12D2-FM | 90.0 x 60.0 x 10.0 | (2,286.00 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E90-72-10MS-12D2-FM | 90.0 x 72.0 x 10.0 | (2,286.00 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E48-60-16MS-12D2-FM | 48.0 x 60.0 x 16.0 | (1,219.20 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E48-72-16MS-12D2-FM | 48.0 x 72.0 x 16.0 | (1,219.20 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E60-60-16MS-12D2-FM | 60.0 x 60.0 x 16.0 | (1,524.00 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E60-72-16MS-12D2-FM | 60.0 x 72.0 x 16.0 | (1,524.00 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E72-60-16MS-12D2-FM | 72.0 x 60.0 x 16.0 | (1,828.80 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E72-72-16MS-12D2-FM | 72.0 x 72.0 x 16.0 | (1,828.80 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E90-60-16MS-12D2-FM | 90.0 x 60.0 x 16.0 | (2,286.00 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E90-72-16MS-12D2-FM | 90.0 x 72.0 x 16.0 | (2,286.00 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E48-60-20MS-12D2-FM | 48.0 x 60.0 x 20.0 | (1,219.20 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E48-72-20MS-12D2-FM | 48.0 x 72.0 x 20.0 | (1,219.20 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E60-60-20MS-12D2-FM | 60.0 x 60.0 x 20.0 | (1,524.00 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E60-72-20MS-12D2-FM | 60.0 x 72.0 x 20.0 | (1,524.00 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E72-60-20MS-12D2-FM | 72.0 x 60.0 x 20.0 | (1,828.80 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E72-72-20MS-12D2-FM | 72.0 x 72.0 x 20.0 | (1,828.80 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E90-60-20MS-12D2-FM | 90.0 x 60.0 x 20.0 | (2,286.00 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E90-72-20MS-12D2-FM | 90.0 x 72.0 x 20.0 | (2,286.00 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E48-60-24MS-12D2-FM | 48.0 x 60.0 x 24.0 | (1,219.20 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E48-72-24MS-12D2-FM | 48.0 x 72.0 x 24.0 | (1,219.20 x 1,828.80 x 609.60) | MS | 12ga | 2 |
| E60-60-24MS-12D2-FM | 60.0 x 60.0 x 24.0 | (1,524.00 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E60-72-24MS-12D2-FM | 60.0 x 72.0 x 24.0 | (1,524.00 x 1,828.80 x 609.60) | MS | 12ga | 2 |
| E72-60-24MS-12D2-FM | 72.0 x 60.0 x 24.0 | (1,828.80 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E72-72-24MS-12D2-FM | 72.0 x 72.0 x 24.0 | (1,828.80 x 1,828.80 x 609.60) | MS | 12ga | 2 |
| E90-60-24MS-12D2-FM | 90.0 x 60.0 x 24.0 | (2,286.00 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E90-72-24MS-12D2-FM | 90.0 x 72.0 x 24.0 | (2,286.00 x 1,828.80 x 609.60) | MS | 12ga | 2 |

Painted Steel Control Cabinets

Floor Mount with Sloped Top Single Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-30-10MS-12D1-FM,ST | 48.0 x 30.0 x 10.0 | (1,219.20 x 762.00 x 254.00) | MS | 12ga | 1 |
| E48-32-10MS-12D1-FM,ST | 48.0 x 32.0 x 10.0 | (1,219.20 x 812.80 x 254.00) | MS | 12ga | 1 |
| E48-36-10MS-12D1-FM,ST | 48.0 x 36.0 x 10.0 | (1,219.20 x 914.40 x 254.00) | MS | 12ga | 1 |
| E48-38-10MS-12D1-FM,ST | 48.0 x 38.0 x 10.0 | (1,219.20 x 965.20 x 254.00) | MS | 12ga | 1 |
| E48-40-10MS-12D1-FM,ST | 48.0 x 40.0 x 10.0 | (1,219.20 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E60-30-10MS-12D1-FM,ST | 60.0 x 30.0 x 10.0 | (1,524.00 x 762.00 x 254.00) | MS | 12ga | 1 |
| E60-32-10MS-12D1-FM,ST | 60.0 x 32.0 x 10.0 | (1,524.00 x 812.80 x 254.00) | MS | 12ga | 1 |
| E60-36-10MS-12D1-FM,ST | 60.0 x 36.0 x 10.0 | (1,524.00 x 914.40 x 254.00) | MS | 12ga | 1 |
| E60-38-10MS-12D1-FM,ST | 60.0 x 38.0 x 10.0 | (1,524.00 x 965.20 x 254.00) | MS | 12ga | 1 |
| E60-40-10MS-12D1-FM,ST | 60.0 x 40.0 x 10.0 | (1,524.00 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E72-30-10MS-12D1-FM,ST | 72.0 x 30.0 x 10.0 | (1,828.80 x 762.00 x 254.00) | MS | 12ga | 1 |
| E72-32-10MS-12D1-FM,ST | 72.0 x 32.0 x 10.0 | (1,828.80 x 812.80 x 254.00) | MS | 12ga | 1 |
| E72-36-10MS-12D1-FM,ST | 72.0 x 36.0 x 10.0 | (1,828.80 x 914.40 x 254.00) | MS | 12ga | 1 |
| E72-38-10MS-12D1-FM,ST | 72.0 x 38.0 x 10.0 | (1,828.80 x 965.20 x 254.00) | MS | 12ga | 1 |
| E72-40-10MS-12D1-FM,ST | 72.0 x 40.0 x 10.0 | (1,828.80 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E90-30-10MS-12D1-FM,ST | 90.0 x 30.0 x 10.0 | (2,286.00 x 762.00 x 254.00) | MS | 12ga | 1 |
| E90-32-10MS-12D1-FM,ST | 90.0 x 32.0 x 10.0 | (2,286.00 x 812.80 x 254.00) | MS | 12ga | 1 |
| E90-36-10MS-12D1-FM,ST | 90.0 x 36.0 x 10.0 | (2,286.00 x 914.40 x 254.00) | MS | 12ga | 1 |
| E90-38-10MS-12D1-FM,ST | 90.0 x 38.0 x 10.0 | (2,286.00 x 965.20 x 254.00) | MS | 12ga | 1 |
| E90-40-10MS-12D1-FM,ST | 90.0 x 40.0 x 10.0 | (2,286.00 x 1,016.00 x 254.00) | MS | 12ga | 1 |
| E48-30-12MS-12D1-FM,ST | 48.0 x 30.0 x 12.0 | (1,219.20 x 762.00 x 304.80) | MS | 12ga | 1 |
| E48-32-12MS-12D1-FM,ST | 48.0 x 32.0 x 12.0 | (1,219.20 x 812.80 x 304.80) | MS | 12ga | 1 |
| E48-36-12MS-12D1-FM,ST | 48.0 x 36.0 x 12.0 | (1,219.20 x 914.40 x 304.80) | MS | 12ga | 1 |
| E48-38-12MS-12D1-FM,ST | 48.0 x 38.0 x 12.0 | (1,219.20 x 965.20 x 304.80) | MS | 12ga | 1 |
| E48-40-12MS-12D1-FM,ST | 48.0 x 40.0 x 12.0 | (1,219.20 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E60-30-12MS-12D1-FM,ST | 60.0 x 30.0 x 12.0 | (1,524.00 x 762.00 x 304.80) | MS | 12ga | 1 |
| E60-32-12MS-12D1-FM,ST | 60.0 x 32.0 x 12.0 | (1,524.00 x 812.80 x 304.80) | MS | 12ga | 1 |
| E60-36-12MS-12D1-FM,ST | 60.0 x 36.0 x 12.0 | (1,524.00 x 914.40 x 304.80) | MS | 12ga | 1 |
| E60-38-12MS-12D1-FM,ST | 60.0 x 38.0 x 12.0 | (1,524.00 x 965.20 x 304.80) | MS | 12ga | 1 |
| E60-40-12MS-12D1-FM,ST | 60.0 x 40.0 x 12.0 | (1,524.00 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E72-30-12MS-12D1-FM,ST | 72.0 x 30.0 x 12.0 | (1,828.80 x 762.00 x 304.80) | MS | 12ga | 1 |
| E72-32-12MS-12D1-FM,ST | 72.0 x 32.0 x 12.0 | (1,828.80 x 812.80 x 304.80) | MS | 12ga | 1 |
| E72-36-12MS-12D1-FM,ST | 72.0 x 36.0 x 12.0 | (1,828.80 x 914.40 x 304.80) | MS | 12ga | 1 |
| E72-38-12MS-12D1-FM,ST | 72.0 x 38.0 x 12.0 | (1,828.80 x 965.20 x 304.80) | MS | 12ga | 1 |
| E72-40-12MS-12D1-FM,ST | 72.0 x 40.0 x 12.0 | (1,828.80 x 1,016.00 x 304.80) | MS | 12ga | 1 |

| | | | | | |
|------------------------|--------------------|--------------------------------|----|------|---|
| E90-30-12MS-12D1-FM,ST | 90.0 x 30.0 x 12.0 | (2,286.00 x 762.00 x 304.80) | MS | 12ga | 1 |
| E90-32-12MS-12D1-FM,ST | 90.0 x 32.0 x 12.0 | (2,286.00 x 812.80 x 304.80) | MS | 12ga | 1 |
| E90-36-12MS-12D1-FM,ST | 90.0 x 36.0 x 12.0 | (2,286.00 x 914.40 x 304.80) | MS | 12ga | 1 |
| E90-38-12MS-12D1-FM,ST | 90.0 x 38.0 x 12.0 | (2,286.00 x 965.20 x 304.80) | MS | 12ga | 1 |
| E90-40-12MS-12D1-FM,ST | 90.0 x 40.0 x 12.0 | (2,286.00 x 1,016.00 x 304.80) | MS | 12ga | 1 |
| E36-30-16MS-12D1-FM,ST | 36.0 x 30.0 x 16.0 | (914.40 x 762.00 x 406.40) | MS | 12ga | 1 |
| E36-32-16MS-12D1-FM,ST | 36.0 x 32.0 x 16.0 | (914.40 x 812.80 x 406.40) | MS | 12ga | 1 |
| E36-36-16MS-12D1-FM,ST | 36.0 x 36.0 x 16.0 | (914.40 x 914.40 x 406.40) | MS | 12ga | 1 |
| E36-40-16MS-12D1-FM,ST | 36.0 x 40.0 x 16.0 | (914.40 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E48-30-16MS-12D1-FM,ST | 48.0 x 30.0 x 16.0 | (1,219.20 x 762.00 x 406.40) | MS | 12ga | 1 |
| E48-32-16MS-12D1-FM,ST | 48.0 x 32.0 x 16.0 | (1,219.20 x 812.80 x 406.40) | MS | 12ga | 1 |
| E48-36-16MS-12D1-FM,ST | 48.0 x 36.0 x 16.0 | (1,219.20 x 914.40 x 406.40) | MS | 12ga | 1 |
| E48-40-16MS-12D1-FM,ST | 48.0 x 40.0 x 16.0 | (1,219.20 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E60-30-16MS-12D1-FM,ST | 60.0 x 30.0 x 16.0 | (1,524.00 x 762.00 x 406.40) | MS | 12ga | 1 |
| E60-32-16MS-12D1-FM,ST | 60.0 x 32.0 x 16.0 | (1,524.00 x 812.80 x 406.40) | MS | 12ga | 1 |
| E60-36-16MS-12D1-FM,ST | 60.0 x 36.0 x 16.0 | (1,524.00 x 914.40 x 406.40) | MS | 12ga | 1 |
| E60-40-16MS-12D1-FM,ST | 60.0 x 40.0 x 16.0 | (1,524.00 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E72-30-16MS-12D1-FM,ST | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | MS | 12ga | 1 |
| E72-32-16MS-12D1-FM,ST | 72.0 x 32.0 x 16.0 | (1,828.80 x 812.80 x 406.40) | MS | 12ga | 1 |
| E72-36-16MS-12D1-FM,ST | 72.0 x 36.0 x 16.0 | (1,828.80 x 914.40 x 406.40) | MS | 12ga | 1 |
| E72-40-16MS-12D1-FM,ST | 72.0 x 40.0 x 16.0 | (1,828.80 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E72-30-16MS-12D1-FM,ST | 72.0 x 30.0 x 16.0 | (1,828.80 x 762.00 x 406.40) | MS | 12ga | 1 |
| E90-30-16MS-12D1-FM,ST | 90.0 x 30.0 x 16.0 | (2,286.00 x 762.00 x 406.40) | MS | 12ga | 1 |
| E90-32-16MS-12D1-FM,ST | 90.0 x 32.0 x 16.0 | (2,286.00 x 812.80 x 406.40) | MS | 12ga | 1 |
| E90-36-16MS-12D1-FM,ST | 90.0 x 36.0 x 16.0 | (2,286.00 x 914.40 x 406.40) | MS | 12ga | 1 |
| E90-38-16MS-12D1-FM,ST | 90.0 x 38.0 x 16.0 | (2,286.00 x 965.20 x 406.40) | MS | 12ga | 1 |
| E90-40-16MS-12D1-FM,ST | 90.0 x 40.0 x 16.0 | (2,286.00 x 1,016.00 x 406.40) | MS | 12ga | 1 |
| E60-30-20MS-12D1-FM,ST | 60.0 x 30.0 x 20.0 | (1,524.00 x 762.00 x 508.00) | MS | 12ga | 1 |
| E60-32-20MS-12D1-FM,ST | 60.0 x 32.0 x 20.0 | (1,524.00 x 812.80 x 508.00) | MS | 12ga | 1 |
| E60-36-20MS-12D1-FM,ST | 60.0 x 36.0 x 20.0 | (1,524.00 x 914.40 x 508.00) | MS | 12ga | 1 |
| E60-40-20MS-12D1-FM,ST | 60.0 x 40.0 x 20.0 | (1,524.00 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-20MS-12D1-FM,ST | 72.0 x 30.0 x 20.0 | (1,828.80 x 762.00 x 508.00) | MS | 12ga | 1 |
| E72-32-20MS-12D1-FM,ST | 72.0 x 32.0 x 20.0 | (1,828.80 x 812.80 x 508.00) | MS | 12ga | 1 |
| E72-36-20MS-12D1-FM,ST | 72.0 x 36.0 x 20.0 | (1,828.80 x 914.40 x 508.00) | MS | 12ga | 1 |
| E72-40-20MS-12D1-FM,ST | 72.0 x 40.0 x 20.0 | (1,828.80 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-20MS-12D1-FM,ST | 72.0 x 30.0 x 20.0 | (1,828.80 x 762.00 x 508.00) | MS | 12ga | 1 |
| E90-30-20MS-12D1-FM,ST | 90.0 x 30.0 x 20.0 | (2,286.00 x 762.00 x 508.00) | MS | 12ga | 1 |
| E90-32-20MS-12D1-FM,ST | 90.0 x 32.0 x 20.0 | (2,286.00 x 812.80 x 508.00) | MS | 12ga | 1 |
| E90-36-20MS-12D1-FM,ST | 90.0 x 36.0 x 20.0 | (2,286.00 x 914.40 x 508.00) | MS | 12ga | 1 |
| E90-38-20MS-12D1-FM,ST | 90.0 x 38.0 x 20.0 | (2,286.00 x 965.20 x 508.00) | MS | 12ga | 1 |
| E90-40-20MS-12D1-FM,ST | 90.0 x 40.0 x 20.0 | (2,286.00 x 1,016.00 x 508.00) | MS | 12ga | 1 |
| E72-30-24MS-12D1-FM,ST | 72.0 x 30.0 x 24.0 | (1,828.80 x 762.00 x 609.60) | MS | 12ga | 1 |
| E72-32-24MS-12D1-FM,ST | 72.0 x 32.0 x 24.0 | (1,828.80 x 812.80 x 609.60) | MS | 12ga | 1 |
| E72-36-24MS-12D1-FM,ST | 72.0 x 36.0 x 24.0 | (1,828.80 x 914.40 x 609.60) | MS | 12ga | 1 |
| E72-40-24MS-12D1-FM,ST | 72.0 x 40.0 x 24.0 | (1,828.80 x 1,016.00 x 609.60) | MS | 12ga | 1 |
| E72-30-24MS-12D1-FM,ST | 72.0 x 30.0 x 24.0 | (1,828.80 x 762.00 x 609.60) | MS | 12ga | 1 |
| E90-30-24MS-12D1-FM,ST | 90.0 x 30.0 x 24.0 | (2,286.00 x 762.00 x 609.60) | MS | 12ga | 1 |
| E90-32-24MS-12D1-FM,ST | 90.0 x 32.0 x 24.0 | (2,286.00 x 812.80 x 609.60) | MS | 12ga | 1 |
| E90-36-24MS-12D1-FM,ST | 90.0 x 36.0 x 24.0 | (2,286.00 x 914.40 x 609.60) | MS | 12ga | 1 |
| E90-38-24MS-12D1-FM,ST | 90.0 x 38.0 x 24.0 | (2,286.00 x 965.20 x 609.60) | MS | 12ga | 1 |
| E90-40-24MS-12D1-FM,ST | 90.0 x 40.0 x 24.0 | (2,286.00 x 1,016.00 x 609.60) | MS | 12ga | 1 |

Painted Steel Control Cabinets

Floor Mount with Sloped Top Double Door



| Model # | H x W x D inches | H x W x D mm | Metal | | # Doors |
|------------------------|--------------------|--------------------------------|-------|-------|---------|
| | | | Type | Gauge | |
| E48-60-10MS-12D2-FM,ST | 48.0 x 60.0 x 10.0 | (1,219.20 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E48-72-10MS-12D2-FM,ST | 48.0 x 72.0 x 10.0 | (1,219.20 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E60-60-10MS-12D2-FM,ST | 60.0 x 60.0 x 10.0 | (1,524.00 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E60-72-10MS-12D2-FM,ST | 60.0 x 72.0 x 10.0 | (1,524.00 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E72-60-10MS-12D2-FM,ST | 72.0 x 60.0 x 10.0 | (1,828.80 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E72-72-10MS-12D2-FM,ST | 72.0 x 72.0 x 10.0 | (1,828.80 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E90-60-10MS-12D2-FM,ST | 90.0 x 60.0 x 10.0 | (2,286.00 x 1,524.00 x 254.00) | MS | 12ga | 2 |
| E90-72-10MS-12D2-FM,ST | 90.0 x 72.0 x 10.0 | (2,286.00 x 1,828.80 x 254.00) | MS | 12ga | 2 |
| E48-60-16MS-12D2-FM,ST | 48.0 x 60.0 x 16.0 | (1,219.20 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E48-72-16MS-12D2-FM,ST | 48.0 x 72.0 x 16.0 | (1,219.20 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E60-60-16MS-12D2-FM,ST | 60.0 x 60.0 x 16.0 | (1,524.00 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E60-72-16MS-12D2-FM,ST | 60.0 x 72.0 x 16.0 | (1,524.00 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E72-60-16MS-12D2-FM,ST | 72.0 x 60.0 x 16.0 | (1,828.80 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E72-72-16MS-12D2-FM,ST | 72.0 x 72.0 x 16.0 | (1,828.80 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E90-60-16MS-12D2-FM,ST | 90.0 x 60.0 x 16.0 | (2,286.00 x 1,524.00 x 406.40) | MS | 12ga | 2 |
| E90-72-16MS-12D2-FM,ST | 90.0 x 72.0 x 16.0 | (2,286.00 x 1,828.80 x 406.40) | MS | 12ga | 2 |
| E48-60-20MS-12D2-FM,ST | 48.0 x 60.0 x 20.0 | (1,219.20 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E48-72-20MS-12D2-FM,ST | 48.0 x 72.0 x 20.0 | (1,219.20 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E60-60-20MS-12D2-FM,ST | 60.0 x 60.0 x 20.0 | (1,524.00 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E60-72-20MS-12D2-FM,ST | 60.0 x 72.0 x 20.0 | (1,524.00 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E72-60-20MS-12D2-FM,ST | 72.0 x 60.0 x 20.0 | (1,828.80 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E72-72-20MS-12D2-FM,ST | 72.0 x 72.0 x 20.0 | (1,828.80 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E90-60-20MS-12D2-FM,ST | 90.0 x 60.0 x 20.0 | (2,286.00 x 1,524.00 x 508.00) | MS | 12ga | 2 |
| E90-72-20MS-12D2-FM,ST | 90.0 x 72.0 x 20.0 | (2,286.00 x 1,828.80 x 508.00) | MS | 12ga | 2 |
| E48-60-24MS-12D2-FM,ST | 48.0 x 60.0 x 24.0 | (1,219.20 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E48-72-24MS-12D2-FM,ST | 48.0 x 72.0 x 24.0 | (1,219.20 x 1,828.80 x 609.60) | MS | 12ga | 2 |
| E60-60-24MS-12D2-FM,ST | 60.0 x 60.0 x 24.0 | (1,524.00 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E60-72-24MS-12D2-FM,ST | 60.0 x 72.0 x 24.0 | (1,524.00 x 1,828.80 x 609.60) | MS | 12ga | 2 |
| E72-60-24MS-12D2-FM,ST | 72.0 x 60.0 x 24.0 | (1,828.80 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E72-72-24MS-12D2-FM,ST | 72.0 x 72.0 x 24.0 | (1,828.80 x 1,828.80 x 609.60) | MS | 12ga | 2 |
| E90-60-24MS-12D2-FM,ST | 90.0 x 60.0 x 24.0 | (2,286.00 x 1,524.00 x 609.60) | MS | 12ga | 2 |
| E90-72-24MS-12D2-FM,ST | 90.0 x 72.0 x 24.0 | (2,286.00 x 1,828.80 x 609.60) | MS | 12ga | 2 |